

EXAMINATION READING LIST

Selected References for 2022 Test Items

I - Basic Sciences

- Baek, S., Kim, S., Tokunaga, S., & Bindiger, A. (1989). Oriental blepharoplasty: Single-stitch, nonincision technique. *Plastic and Reconstructive Surgery*, 83, 236-242.
- Baker, S. R. (1989). *Scapular Flaps*. Microsurgical Reconstruction of the Head and Neck. Churchill Livingstone, 159-190.
- Baker, S. R. & Graney, D. O. (1997). Chapter 18: Anatomy of the Face. In *Otolaryngology Head and Neck Surgery*; 7, 111 ed.
- Bernstein, L. (1990). Dental development and abnormalities. In G. B. Healey (Ed.), *Common Problems in Pediatric Otolaryngology*, 303-322. Chicago, IL: Year Book Medical Publishers.
- Callegari, P. R., Taylor, G. I., Caddy, C. M., & Minabe, T. (1992). An anatomic review of the delay phenomenon: I. Experimental studies. *Plastic and Reconstructive Surgery*, 89(3), 397-418.
- Carlson, K.C. & Roenigk, R.K. (1990). Know your anatomy: perineural involvement of basal and squamous cell carcinoma on the face. *J Dermatol Surg Oncol*, 16(9):827-833.
- Chang, E.W, Lam, S.M., Karen, M. & Donlevy, J.L. (2001). Sliding genioplasty for correction of chin abnormalities. *Arch Fac Plast Surg*, 3(1):8-15.
- Cheney, M. L. & Gliklich, R. E. (1995). The use of calvarial bone in nasal reconstruction. *Archives of Otolaryngology-Head and Neck Surgery*, 121, 643-648.
- Cupp, C. L., & Larrabee, W. F. Jr. (1993). Reconstruction of the lips. *Operative Techniques in Otolaryngology-Head and Neck Surgery*, 4(1), 46-53.
- De Jong, R. H. (1977). *Physiology and Pharmacology of Local Anesthesia*. Springfield, IL: Charles C. Thomas.
- Gay, G. R. (1982). Clinical management of acute and chronic cocaine poisoning. *Annals of Emergency Medicine*, 11, 562-572.
- Difazio, C. A. (1981). Local anesthetics—action metabolism and toxicity. *Otolaryngologic Clinics of North America*, 14, 515.
- Ellis, D.A. & Gage, C.E. (1991). Evaluation of conscious sedation in facial plastic surgery. *J Otolaryngol*, 20 (4):267-273.
- Fiedler, V. C. & Galan, A. (1994). Androgenetic alopecia. *Facial Plastic Surgery Clinics of North America*, 2(2), 101-109.
- Gampper, T.J. & Morgan, R.F. (2002). Vascular anomalies: hemangiomas. *Plast Reconstr Surg*, 110:572-585.
- Giguere, C.M., Bauman, N.M., Sato, U., Burke, D.K., Greinwald, J.H., Pransky, S., Kelley, P., Georgeson, K. & Smith, R.J.H. (2002). Treatment of lymphangiomas with OK-432 (Picibanil) sclerotherapy. *Arch Otolaryngol-Head Neck Surg*, 128: 1137-1144.
- Gilbert W. Levett, MC. Cervical Fascia and Deep Neck Infections. *Laryngoscope*, 409-435
- Hewell, T. S., & Tardy, M. E. (1984). Nasal tip refinement. *Facial Plastic Surgery*, 1, 87.
- Hollinshead, W. H. (1982). *Anatomy for Surgeons: Vol. I. The Head and Neck*, 3, 340-342. Philadelphia: Harper & Row.
- Kamer, F.M. & Pieper, P.G. (2001). Surgical treatment of the aging neck. *Fac Plast Surg*, 17(2):123-8.
- Konior, R. J. & Kridel, R. W. H. (1994). Tissue expansion in scalp surgery. *Facial Plastic Surgery Clinics of North America*, 2(2), 203-217.
- Lai, A. & Cheney, M. (2000). Temporoparietal fascial flap in orbital reconstruction. *Arch Fac Plast Surg*, 2:196-201.
-

- Levitt, Major G.W. (1969). Cervical fascia and deep neck infections. *Laryngoscope*, 409-435.
- McCarn KE, Park SS. (2005). Lip Reconstruction. *Facial Plastic Surgery Clinics of North America*, 13, 301-314.
- McCarn, K.E. & Park, S.S. (2005). Lip Reconstruction. *Fac Plast Surg clini Otolaryngol-Head Neck Surg*, 134(4):613-61716.
- Mojallal A., Lequeux, C., Shipkov, C., et al. (2009, September). Improvement of skin quality after fat grafting: clinical observation and an animal study. *Plast. Reconstr. Surg.*, 124:765.
- Oliver, D. W. (2001). A prospective randomized double blind trial of the use of fibrin sealant for facelifts. *Plastic and Reconstructive Surgery*, 108:2101-2105.
- Orentreich, N., & Durr, N. P. (1982). Biology of scalp hair growth. *Clinics in Plastic Surgery*, 9(2), 197-205.
- Orentreich, N. (1980). Punch grafts. In T. D. Rees (Ed.), *Aesthetic Plastic Surgery*, 30, 865-874. Philadelphia, PA: W. B. Saunders Company.
- Ortiz-Monsasterio, F. & Molina, F. (1990). Geometrical planning for the correction of orbital hypertelorism. *Plast Reconstr Surg*, 86:650-657.
- Panchal J, Uttchin V Management of craniosynostosis
- Panchal, J. & Uttchin, V. (2003). Management of Craniosynostosis. *Plast Reconstr Surg*, 111(6):2032-2048; quiz, 2049.
- Rohrich, R. J., Gunter, J. P., & Friedman, R. M. (1993). Nasal tip blood supply: An anatomic study validating the safety of the transcolumellar incision in rhinoplasty. *Plastic and Reconstructive Surgery*, 95(5), 795-801.
- Schulte, D.L., Sherris, D.A. & Kasperbauer, J.L. (2001). The anatomical basis of the Abbe flap. *Laryngoscope*, 111(3):382-386.
- Senders, C.W., eterson, E.C., Hendricks, A.G. & Cukierski, M.A. (2003). Development of the upper lip. *Arch Fac Plast Surg*, 5(1):16-25.
- Siegert, R., Weerda, H., & Remmert, S. (1994). Embryology and surgical anatomy of the auricle. *Facial Plastic Surgery*, 10(3), 232-243.
- Stiernberg, C. M., Jahrsdoerfer, R. A., Gillenwater, A., Joe, S. A., & Alcalen, S. V. (1992). Gunshot wounds to the head and neck. *Archives of Otolaryngology-Head and Neck Surgery*, 118, 592-597.
- Sykes, J. M. & Dugan, F. M., Jr. (1994). Evaluation and management of eyelid trauma. *Facial Plastic Surgery*, 10(2), (pp. 157-171). NY: Thieme.
- Tardy, M. E. & Toriumi, D. M. (1992). Philosophy and principles of rhinoplasty. In I. D. Papel & N. E. Nachlas (Eds.), *Facial plastic and reconstructive surgery*, (pp. 278-294). St. Louis: Mosby Year Book.
- Tatum, S. & Senders, C. (1993). Perspectives on palatoplasty. *Facial Plastic Surgery*, 9(3), 225-231.
- Whetzel, T.P. & Mathes, S.J. (1992). Arterial anatomy of the face: an analysis of vascular territories and perforating cutaneous vessels. *Plast Reconstr Surg*, 89(4):591-603; discussion 604-605.
- Zide, B. M., & Jelks, G. W. (1985). Surgical anatomy of the orbit. *The eyelids*. New York: Raven Press.
- Zide, B.M. & Jelks, G.W. (1984). Surgical anatomy of the orbit. *Plast Reconstr Surg*, 74(2);301-305.

IIA - Congenital

- Barnhill, R. L., Hurwitz, S., Duray, P. H., & Arons, M. S. (1988). The dysplastic nevus: recognition and management. *Plastic and Reconstructive Surgery*, 81, 280-289.
- De La Pedraja J, Erbella J, McDonald WS, Thaller S. Approaches to cleft lip and palate repair. *J Craniofac Surg*, 11(6):562-571.
- Elsaby, NI. (2000). Technique for correction of lop ear. *Plast Reconstr Surg*, 105(2)
- Handler, S. D. (1985). Upper airway obstruction in craniofacial anomalies: Diagnosis and management. *Birth Defects*, 21(2), 15-31.
- Hereditary hemorrhagic telangiectasis treated by the harmonic scalpel Toshio Ishibashi, MD, Shunsuke Takamatsu, MD, HEAD & NECK April 2003

- Randall, P. (1977). The Robin anomalad: Micrognathia and glossoptosis with airway obstruction. In J. M. Converse (Ed.), *Reconstructive and Plastic Surgery*, 50, 2235-2245. Philadelphia, PA: W. B. Saunders Company.
- Smith, J. D., Crumley, R. L., & Harker, L. A. (1981). Facial paralysis in the newborn. *Otolaryngology—Head and Neck Surgery*, 89, 1021-1024.
- Vuillemin, T., Imola, M., Ladrach, K., Zingg, M., & Raveh, J. (1995). Aesthetic orthognathic surgery. *Facial Plastic Surgery Clinics of North America*, 3(1), 79-96.
- Wang, T. D. & Madorsky, S. J. (1999). Secondary rhinoplasty in nasal deformity associated with the unilateral cleft lip. *Archives of Facial Plastic Surgery*, 1(1), 40-45.

IIB - Acquired

- Bailey, B. J. (1977). Management of carcinoma of the lip. *Laryngoscope*, 87, 250-260.
- Brightman V.S. (1984). Benign tumors of the oral cavilt. In M.A. Lynch et al. (eds), *Burket's Oral Medicine* (8 Edition). Philadelphia: J.B. Lippincott. p. 316.
- Chattar-Cora, D., Tulsyan, N., Cudjoe, E.A., Onime, G.D., Pyo, D.J. & Weinstein, L. (2002). Necrotizing fasciitis of the head and neck: a report of two patients and review. *Head Neck*, 24(5):497-501.
- Cummings, et al. (1986). *Otolaryngology—Head and Neck Surgery*, 1, 258.
- Drolet, B. A., et al. (2013). Initiation and use of propranolol for infantile hemangioma: report of a consensus conference. *Pediatrics* 131(1): 128-140.
- Funk, G. F., Hoffman, H. T., & Carter, K. D. (1993). Special considerations in the management of malignant skin lesions about the eye. *Otolaryngologic Clinics of North America*, 26(2), 215-230.
- Gunter, J. P. (1983). Rhombic flaps. *Facial Plastic Surgery*, 1, 69-73.
- James, W. D., White, S. W., & Yanklowitz, B. (1984). Allergic contact dermatitis to compound tincture of benzoin. *Journal of the American Academy of Dermatology*, 11, 847-850.
- Kamer, F. In B. Bailey (Ed.), *Revision Rhinoplasty*.
- Kamer, F.M. & Minoli, J.J. (1993). Postoperative platysmal band deformity. A pitfall of submental liposuction. *Arch Otolaryngol-Head Neck Surg*, 119(2):193-196.
- Keller, G. S. (1993). KTP laser rhytidectomy. *Facial Plastic Surgery Clinics of North America*, 1(2), 153-162.
- Matarasso SL, Carruthers JD, Jewell M, Restylane Consensus Group. (2006). Consensus recommendations for soft-tissue augmentation with nonanimal stabilized hyaluronic acid (Restylane). *Plastic and Reconstructive Surgery*, 117 (3 suppl), 3S-34S.
- May, M. & Schaitkin, M. (2000). *The Facial Nerve*. 2nd Edition, Stratton, NY: Thieme Medical Publishers, Inc.
- Medina, J. (1993). Malignant melanoma of the head and neck. *Otolaryngology Clinics of North America*, 26(1), 73-85.
- (1998). NCCN (National Comprehensive Cancer Network) melanoma practice guidelines. *Oncology*, 3, 153-177.
- (1997). Melanoma Surgical Practice Guidelines. Society of Surgical Oncology Practice Guidelines for Major Cancer Sites. Compiled from *Oncology* 11, (6, 7, 8, 9), 91-97.
- Millay, D. J. (1995). Repair of blepharoptosis. *Facial Plastic Surgery Clinics of North America*, 3(2), 195-201.
- Papel, I. D. (1992). Lower eyelid blepharoplasty for the senile lid. In I. D. Papel & N. E. Nachlas (Eds.) *Facial Plastic and Reconstructive Surgery*, (pp. 179-183). St. Louis: Mosby Year Book.
- Powell, N., & Humphreys, B. (1984). *Proportions of the Aesthetic Face* (p. 24). Stratton, NY: Thieme Medical Publishers, Inc.
- Rhee, J.S., Matthews, B.A., Neuberg, M., Logan, B.R., Burzynski, M. & Nattinger, A.B. (2005). Validation of a quality-of-life instrument for patients with nonmelanoma skin cancer. *Arch Facial Plast Surg* 2006;8:314-318
- Richard C. Webster, William H. Beeson, E Gaylon McCollough, Facelift. in Book *Aesthetic Surgery of the Face*, ed William H. Beeson, E Gaylon McCollough, CV Mosby Company 1986. page 87
- Shockley, W. W. (1993). Special problems associated with carcinoma of the nose. *Otolaryngologic Clinics of North America*, 26(2), 247-264.

- Smith, B. (1986). *Ophthalmic Plastic and Reconstructive Surgery* (p. 717). St. Louis, MO: C. V. Mosby Company.
- Stough, D. B., III & Stough, D. B., IV. (1994). Hair-replacement techniques. In I. D. Papel & N. E. Nachlas (Eds.), *Facial Plastic and Reconstructive Surgery*, (pp. 215-225). St. Louis: Mosby Year Book.
- Stough, D. B., Randall, J. K., & Schauder, C. S. (1994). Complications in hair replacement surgery. *Facial Plastic Surgery Clinics of North America*, 2(2), 219-229.
- The International Ophthalmology Clinics; Advancing in Ophthalmic Plastic Surgery edited by Susan R. Carter, M.D. volume 42 (2) spring issue 2002. Lippincott Williams and Wilkens, Philadelphia, PA.
Ptosis in the elderly patient, page 61-74.
- Thomas, J. R. (1986). Complications of aesthetic surgery. In *Complications in Otolaryngology-Head and Neck Surgery*, 2(28), 281-290. Toronto, ONT: B. C. Decker.
- Trimble, L. D. (1986). Odontogenesis and Jaw Cysts. In C.W. Cummings et al (Eds.) *Otolaryngology-Head and Neck Surgery.*, 1504. St. Louis: Mosby Year Book
- Brightman, V. S. (1984). Benign tumors of the oral cavity. In M.A. Lynch et al (Eds.) *Burket's Oral Medicine*-8th Edn., pg. 330. Philadelphia: J.B. Lippincott.
- Waler, R. R., McCord, C. D., Jr., & Tanenbaum, M. (1987). Evaluation and management of the ptosis patient. In C. D. McCord & M. Tanenbaum (Ed.), *Oculoplastic Surgery* (chapter 13, PP. 325-375). New York: Raven Press.
- Wesley, R. E., & Collins, J. W. (1983). McCord procedure for ectropion repair. *Archives of Otolaryngology*, 109, 319-322.
- Whiting; Haber; Epstein – Advanced hair loss; Bonhanna

IIIA - Medical Management

- Alam, M. & Dover, J. S. (2001). On beauty: evolution, psychosocial functioning, and personality: how different are adolescents and young adults applying for plastic surgery? *Arch Dermatol*, 137(6):795-807. Review.
- American Society of Plastic Surgeons & American Society for Aesthetic Plastic Surgery. (2006) "Injectables and Fillers: Legal and Regulatory Risk Management Issues." *Plast Reconstr Surg*, 118(63 Suppl):129S-132S.
- Austin, J.R., Peskind, S.P., Austin, S.G., et al. (1993). Idiopathic facial nerve paralysis: A randomized double blind controlled study of placebo versus prednisone. *Laryngoscope*, 103:1326-1333.
- Bennett, M.L., Fleischer, A.B., Chamlin, S.L. & Frieden, I.J. (2001). Oral corticosteroid use is effective for cutaneous hemangiomas. *Arch Derm*, 137:1208-1213.
- Boon, MacDonald & Mulliken. (1999). Complications of systemic corticosteroid therapy for problematic hemangiomas. *Plast Reconstr Surg*, 104:1616-1622.
- Ellerbe, D. M. & Frodel, J. L. (1995). Comparison of implant materials used in maxillofacial rigid internal fixation. *Otolaryngology Clinics of North America*, 28(2), 365-372.
- Gorney M. (2002). Claims prevention for the aesthetic surgeon preparing for the less-than-perfect outcome. *Arch Fac. Plast. Surg.* 18(2): 135-142.
- Gosswart, T.A. & Sarwer, D.B. (1999). Cosmetic surgery: surgical tools – psychosocial goals. *Sem Cutan Med Surg*, 18:101-111.
- Hammerschlag, P.E. (1999). Facial reanimation with jump interpositional graft hypoglossal facial anastomosis and hypoglossal facial anastomosis: evolution in management of facial paralysis. *Laryngoscope*, 109(2 Pt 2 Suppl 90):1-23.
- Hammond, J. S. & Ward, C. G. (1983). Burns of the head and neck. *Otolaryngologic Clinics of North America*, 16 (3), 679-695.
- Hoffman WY. Reanimation of the paralyzed face. *Otolaryngol Clin North Am.* 1992 Jun;25(3):649-67.
- Holt, G. R., Garner, E. T., & McLarey, D. (1987). Postoperative sequelae in complications of rhinoplasty. *Otolaryngologic Clinics of North America*, 20(4), 853-876.

- Hom, D.B., Adams, G., Koreis, M. & Maisel, R. (1999). Choosing the optimal wound dressing for irradiated soft tissue wounds. *Arch Otolaryngol-Head Neck Surg*, 121(5):591-598.
- Hom, D.B., Adams, G., Koreis, M. & Maisel, R. (1999). Choosing the optimal wound dressing for irradiated soft tissue wounds. *Arch Otolaryngol-Head Neck Surg*, 121(5):591-598.
- Kantu, S., Lee, D., Nash, M. & Lucente, F.E. (1996). Safety awareness for the otolaryngologist caring for the HIV-positive patient. *Laryngoscope*, 106(8):982-986.
- Lam, S.M. & Williams, E.F. (2004). Practical considerations in the treatment of capillary vascular malformations, or port-wine stains. *Fac Plast Surg*, 20(1):71-6.
- McIntyre, K. M. & Lewis, A. J. (1987). *Textbook of advanced cardiac life support*. American Heart Association.
- Metry, D.W. & Hebert, A.A. (2000). Benign cutaneous vascular tumors of infancy. *Arch Derm*, 136:905-914.
- Niessen, F. B., Spauwen, P. H., Schalkwijk, J., & Kon, M. (1999). On the Nature of Hypertrophic Scars and Keloids: A Review. *Plastic and Reconstructive Surgery*, 105(5), 1435-1458.
- Samiian, M.R. (1993). Lip augmentation for correction of the lips. *Plast Reconstr Surg*, 91(10):162-166.
- Scharloo, M., Baatenburg de Jong, R.J., Langeveld, T.P., van Velzen-Verkaik, E., Doorn-op den Aker, M.M. & Kaptein, A.A. (2005). Quality of life and illness perceptions in patients with recently diagnosed head and neck cancer. *Head Neck*, 27(10):857-863.
- Seiff SR, Chang JS Jr. The staged management of ophthalmic complications of facial nerve palsy. *Ophthal Plast Reconstr Surg*. 1993 Dec;9(4):241-9.
- Simis, K. J., Hovius, S. E. R., deBeaufort, I. D., Verhulst, F. C., & Koot, H. M. (2002). After plastic surgery: adolescent-reported appearance ratings and appearance-related burdens in patient and general population groups. *Plast Reconstr Surg*, 109(1):9-17.
- Skidmore, R.A., Patterson, J.D. & Tomsick, R.S. (1996). Local Anesthetics. *Dermatol Surg*, 22:511-522.
- Spilson, SV, Chung, KC, Greenfield, ML & Walters, M. (2002) "Are Plastic Surgery Advertisements Conforming to the Ethical Codes of the ASPS?" *Plast Reconstr Surg* 109(3): 1181-1186.
- Stucker, F. J., Shaw, G. Y., Boyd, S., & Shockley, W. W. (1990). Management of animal and human bites in the head and neck. *Archives of Otolaryngology-Head and Neck Surgery*, 116, 789-793.
- Kountakis, S. E., Chamblee, S. A., Maillard, & A. A., J., Stiernberg, C. M. (1998). Animal bites to the head and neck. *ENT-Ear, Nose & Throat Journal*, 77(3), 216-220.
- Ward C.M.: Consenting to Surgery. *Br. J. Surg*. 1994 47(1) :30-34.
- Zide, B.M. (1981). Anatomy of the eyelids. *Clin Plast Surg*, 8(4):623-634.
- Zide, B.M., Pfeifer, T.M. & Longaker, M.T. (1999). Chin surgery: augmentation—the allures and the alerts. *Plast Reconstr Surg*, 104(6):1843-1853; discussion 1861-1862.

IIIB - Reconstructive Surgery

- (1977). *Reconstructive Plastic Surgery*, 1, 434. Philadelphia, PA: W. B. Saunders and Company.
- Goldman, & Fitzpatrick (). *Cutaneous laser surgery*, (pp.), St. Louis: Mosby Year Book
- Lash, G. (Ed.), (1995). *Clinics in dermatology*.
- Adams, J. S. (1987). Grafts and implants in nasal and chin augmentation: A rational approach to material selection. *Otolaryngologic Clinics of North America*, 20(4), 913-930.
- Amy Lai, MD, Mack L Cheney, MD. Temporoparietal Fascial Flap in Orbital Reconstruction
- Bai H, Tollefson T. Treatment strategies for auricular avulsions: best practice. *JAMA Facial Plast Surg*. 2014; 16(1):7-8; Magritz R. Reconstruction of the avulsed auricle after trauma. *Otolaryngol Clin North Am*. 2013;46:841-855.
- Binns, H. (1984). Early treatment of facial injuries. In R. H. Mathog (Ed.), *Maxillofacial Trauma*, 103. Baltimore: Williams & Wilkins

- Braun RP., et al. Dermoscopy of Pigmented Seborrheic Keratosis: A Morphological Study. *Archives of Derm* 2002, 138 (12):1556-60.
- Brent, B. & Ott, R. (1978). Perichondro-cutaneous graft. *Plastic and Reconstructive Surgery*, 62, 1-13.
- Burget, G. C. (1985). Aesthetic restoration of the nose (Symposium on Head and Neck Surgery). *Clinics in Plastic Surgery*, 12(3), 463-480.
- Becker, F. F. & Hillstrom, R. P. (1992). Reconstruction of the nose and midface. In I. D. Papel & N. E. Nachlas (Eds.), *Facial Plastic and Reconstructive Surgery*, (pp. 407-417). St. Louis: Mosby Year Book.
- Clark, J.M. & Cook, T.A. (2002). Immediate reconstruction of extruded alloplastic nasal implants with irradiated homograft costal cartilage. *Laryngoscope*, 112(6); 968-974.
- Cohen, S.R., Dauser, R.C., Newman, M.H. & Muraszko, K. (1993). Technical strategies: surgical techniques of cranial vault expansion for increases in intracranial pressure in older children. *J Craniofac Surg*, 4:167-173.
- Coker NJ. Management of traumatic injuries to the facial nerve. *Otolaryngol Clin North Am*. 1991 Feb;24(1):215-27.
- Coleman, S.C., Burkey, B.B., Day, T.A., et al. (2000). Increasing use of the scapula osteocutaneous free flap. *Laryngoscope*, 110(9):1419-1424.
- Coleman, S.C., Burkey, B.B., Day, T.A., et al. (2000). Increasing use of the scapula osteocutaneous free flap. *Laryngoscope*, 110(9):1419-1424.
- Converse, J. M. et al. (1977). *Reconstructive Plastic Surgery*, 3, 1750. Philadelphia, PA: W. B. Saunders Company.
- Cook, T. A., & Davis, R. E. (1993). Cheek reconstruction. *Operative Techniques in Otolaryngology—Head and Neck Surgery*, 4(1), 31-36.
- Cupp, C. L., & Larrabee, W. F. Jr. (1993). Reconstruction of the lips. *Operative Techniques in Otolaryngology-Head and Neck Surgery*, 4(1), 46-53.
- Davis, R. E., Guida, R. A. & Cook, T. A. (1995). Autologous free dermal fat graft. *Archives of Otolaryngology-Head and Neck Surgery*, 121, 95-100.
- Davis, R.E., et al. (1995). Autologous free dermal fat graft. *Arch Otolaryngol-Head Neck Surg*, 121:95-100.
- Davis, R.E., et al. (1995). Autologous free dermal fat graft. *Arch Otolaryngol-Head Neck Surg*, 121:95-100.
- Dieter Hoffmann, "Rehabilitation of the Eye in Facial Paralysis, pp257-265, Facial Plastic Clinics of North America, Volume 5, August 1997.
- Freeman, M.S., Thomas, J.R., Spector, J.G., Larrabee, W.F., & Bowman, C.A. (1990). Surgical therapy of the eyelids in patients with facial paralysis. *Laryngoscope*, 100, 1086-1096.
- Furnas, D.W. (1968). Correction of prominent ears by concha-mastoid sutures. *Plast Reconstr Surg*, 42(3):189-193.
- Giguere, C.M., Bauman, N.M., Sato, U., Burke, D.K., Greinwald, J.H., Pransky, S., Kelley, P., Georgeson, K. & Smith, R.J.H. (2002). Treatment of lymphangiomas with OK-432 (Picibanil) sclerotherapy. *Arch Otolaryngol-Head Neck Surg*, 128: 1137-1144.
- Gilbert, R. W. & Dorion, D. (1993). Management of the failed mandibular reconstruction plate. *Operative Techniques in Otolaryngology-Head and Neck Surgery*, 4(2), 159-163.
- Gillis, T. M., & Strong, M. S. (1983). Surgical lasers and soft tissue interactions. *Otolaryngologic Clinics of North America*, 16, 775-784.
- Gold, M.H., Foster, T.D., Adair, M.A., Burlison, K. & Lewis, T. (2001). Prevention of hypertrophic scars and keloids by the prophylactic use of topical silicone gel sheets following a surgical procedure in an office setting. *Dermatol Surg*, 27:641-644.
- Goldfarb, M., Gallups, J.M. & Gerwin, J.M. (1993). Perforating osteotomies in rhinoplasty. *Arch Otolaryngol-Head Neck Surg*, 119(6):624-627.

- Grin, C. M. et al, (1990) Accuracy in the clinical diagnosis of malignant melanoma. *Archives of Dermatology*, 126, 763-766.
- May, Mark (1983) Trauma to the facial nerve. *Otolaryngology Clinics of North America*, 16, 661-670.
- McLeod, G. R., and Black, R. J. (1991). Malignant melanoma: Cutaneous and mucosal. In Paparella, M. M., and Shumrick, D. A. (eds.): *Otolaryngology*, 3, Philadelphia, W. B. Saunders Company, 2617-2625
- Mohs, F. E. (1978). Chemosurgery: Microscopically controlled surgery for skin cancer-past, present and future. *Journal of Dermatological Surgery in Oncology*, 4, 41-54.
- Gruss, J. S., & Mackinnon, S. E. (1986). Complex maxillary fractures: Role of buttress reconstruction and immediate bone grafts. *Plastic and Reconstructive Surgery*, 78(1), 9-22.
- Gunter, J. P. (1978). Camouflaging scars in the head and neck area. *Journal of Otolaryngology*, 7(1), 75-87.
- Hollier L, Thornton J, Pazmino P, Stal S. The Management of Orbitozygomatic Fractures. *Plastic and Reconstructive Surgery*, 111:2386, 2003
- Hom, D.B. (2001). Treating the elusive keloid. *Arch Otolaryngol-Head Neck Surg*, 127(9):1140-1143.
- Huang, M.H., Lee, S.T. & Rajendra, K. (1998). Anatomic basis of cleft palate and velopharyngeal surgery: implications from a fresh cadaveric study. *Plast Reconstr Surg*, 101(3):613-627; discussion 628-629.
- Hudson, DA: Choosing a Z-plasty
- Iizuka, T. & Lindqvist, C. (1993). Rigid internal fixation of fractures in the angular region of the mandible: An analysis of factors contributing to different complications. *Plastic and Reconstructive Surgery*, 91(2), 265-273.
- Illankovan, V. & Jackson, I.T. (1992). Experience in the use of calvarial bone grafts in orbital reconstruction. *Br J Oral Maxillofac Surg*, 30:92-96.
- Jackson, I. T. (1985). Cheek reconstruction. In *Local Flaps in Head and Neck Reconstruction* (chapter 5, pp. 189-249). St. Louis, MO: C. V. Mosby Company.
- Kim, S.K., Han, J.J., & Kim, J.T. (2001). Classification and treatment of prominent mandibular angle. *Aesthetic Plast Surg*, 25(5):382-387.
- Klotch, D. W., & Lundy, L. B. (1991). Condylar neck fractures of the mandible. *Otolaryngologic Clinics of North America*, 24(1), 181-194.
- Lai, A. & Cheney, M. (2000). Temporoparietal fascial flap in orbital reconstruction. *Arch Fac Plast Surg*, 2:196-201.
- Lai, A. & Cheney, M. (2000). Temporoparietal fascial flap in orbital reconstruction. *Arch Fac Plast Surg*, 2:196-201.
- Larrabee, W. F., Jr., Makielski, K. H., & Cupp, C. (1993). Facelift anatomy. *Facial Plastic Surgery Clinics of North America*, 1(2), 135-153.
- Lawrence, N. & Cattel, W.I. (1994). Squamous cell carcinoma of skin with perineural invasion. *J Am Acad Dermatol*, 31(1):30-33.
- Layton, C. T., Williams, P. B., Hankins, D. B., Phan, T., Key, J. H., & Pratt, M. F. (1994). Pharmacologic enhancement of random skin flap survival by prostaglandin E₂. *Archives of Otolaryngol Head and Neck Surgery*, 120, 56-60.
- Manolidis, S. (2004). Frontal sinus injuries: associated injuries and surgical management of 93 patients. *J Oral Maxillofac Surg*, 62(7):882-91.
- Markowitz, B.L., Manson, P.N., Yaremchuk, M., Glassman, D. & Kawamoto, H. (1991). High energy orbital dislocations: the possibility of traumatic hypertelorism. *Plast Reconstr Surg*, 88:20-28.
- Mathog, R. H., Hillstrom, R. P., & Nesi, F. A. (1989). Surgical correction of enophthalmos and diplopia. *Archives of Otolaryngology-Head and Neck Surgery*, 115, 169-178.
- Maus, M. (2001). Update on orbital trauma. *Curr Opin Ophthal*, 12:329-334.
- Myckatyn, T.M. & Mackinnon, S.E. (2003). The surgical management of facial nerve injury. *Clin Plast Surg*, 30(2):307-18. Review
- Niparko, J.K., Swanson, N.A., Baker, S.R., Telian, S.A., Sullivan, M.J. & Kemink, J.L. (1990). Local control of auricular, periauricular, and external canal cutaneous malignancies with Mohs surgery. *Laryngoscope*, 100:1047-1051.

- Paloma V, Samper A, Cervera-Paz FJ. Surgical technique for reconstruction of the nasal septum: the pericranial flap. *Head Neck* 2000;22:90-94
- Williams R, Lee MK, Most SP. Large septal perforation repair with pericranial flap and intraoperative fluorescence angiography. *Craniofacial Trauma Reconstr* 2016;9:181-184.
- Pham, R.T. (2001). Treatment of vascular lesions with combined dynamic precooling, postcooling thermal quenching, and Nd:YAG 1,064-nm laser. *Fac Plast Surg*, 17(3):203-8.
- Poetke, M., Philipp, C. & Berlien, H.P. (2000). Flashlamp-pumped pulsed dye laser for hemangiomas in infancy. *Arch Derm*, 136:628-632.
- Posnick JC, al-Qattan MM, Whitaker LA. Assessment of the preferred vertical position of the ear. *Plast Reconstr Surg*. 1993 Jun;91(7):1198-203; discussion 1204-7.
- Powell, N. B. & Riley, R. W. (1987). Cranial bone grafting in facial aesthetic and reconstructive contouring. *Archives of Otolaryngology-Head and Neck Surgery*, 113(7), 713-719.
- Renner, G. J., & Zitsch, R. P., III. (1990). Reconstruction of the lip [Facial Plastic Surgery]. *Otolaryngologic Clinics of North America*, 23(5), 975-990.
- Richardson, D., Fisher, S.E., Vaughan, E.D. & Brown, J.S. (1997). Radial forearm flap donor site complications. *Plast Reconstr Surg*, 99(1), 109-115.
- Rustad, T.J., Hartshorn, D.O., Clevens, R.A., Johnson, T.M. & Baker, S.R. (1998). The subcutaneous pedicle flap in melolabial reconstruction. *Arch Otolaryngol Head Neck Surg*, 124(10);1163-1166.
- Sadove AM, et al: Modifications in the Surgical Correction of Trigoncephaly. *Plastic and Reconstructive Surgery*, 85 (6):853-85
- Schlosser, R. J. & Park S. S. (1999). Surgery for the dysfunctional nasal valve: Cadaveric analysis and clinical outcomes. *Archives of Facial Plastic Surgery*, 1(1), 105-110.
- Spector, J. G. (1985). Mimetic surgery for the paralyzed face. *Laryngoscope*, 95(12), 1494-1522.
- Stucker, F. J., Shaw, G. Y., Boyd, S., & Shockley, W. W. (1990). Management of animal and human bites in the head and neck. *Archives of Otolaryngology-Head and Neck Surgery*, 116, 789-793.
- Kountakis, S. E., Chamblee, S. A., Maillard, & A. A., J., Stiernberg, C. M. (1998). Animal bites to the head and neck. *ENT-Ear, Nose & Throat Journal*, 77(3), 216-220.
- Thomas C, Mishra P: Open tip rhinoplasty along with the repair of cleft lip in cleft lip and palate cases. *Br J Plast Surg* 53(1):1-6, 2000
- Thomas, C. & Mishra, P. (2000). Open tip rhinoplasty along with the repair of cleft lip in cleft lip and palate cases. *Br J Plast Surg*, 53(1):1-6.
- Thomas, J. R., & Ehlert, T. K. (1992). Scar revision. In I. D. Papel & N. E. Nachlas (Eds.), *Facial Plastic and Reconstructive Surgery*, (pp. 45-52). St. Louis: Mosby Year Book.
- Tisch M. Penetrating trauma to the parotid gland. *Facial Plast Surg* 2015; 31(4):376-381. Arnaud S: Nonsurgical management of traumatic injuries of the parotid gland and duct. *Plast Reconstr Surg*. 2006;117(7):2426-2430.
- Toriumi, D.M., Josen, J., Weinberger, M. & Tardy, Jr., M.E. (1997). Use of alar batten grafts for correction of nasal valve collapse. *Arch Otolaryngol-Head Neck Surg*, 123(8):802-808.
- Tsue, T., Desyatnikova, S.S., Deleyiannis, F.W., et al. (1997). Comparison of cost and function in reconstruction of the posterior oral cavity and oropharynx: free vs. pedicled soft tissue transfer. *Arch Otolaryngol-Head Neck Surg*, 123(7):731-737.
- Tucker, M. R., et al. (1991). *Rigid Fixation for Maxillofacial Surgery*. Philadelphia, PA: J. B. Lippincott Company.
- Volk, G.F., Pantel M. & Guntinas-Lichius O. (2010). Modern concepts in facial nerve reconstruction. *Head Face Med*, 6:25.
- Webster, R. C., & Smith, R. C. (1982). Scar revision and camouflaging. *Otolaryngologic Clinics of North America*, 15, 55-68.
- Zitelli JA, The Bilobed Flap for Nasal Reconstruction. *Archives of Dermatology* 1989 125 (7): 957-9.

IIC - Cosmetic Surgery

- Adamson, P. A. & Constantinides, M. S. (1995). Complications of blepharoplasty. *Facial Plastic Surgery Clinics of North America*, 3(1), 211-221.
- Becker, B. B. & Berry, F. D. (1992). Eyelid level after lower lid blepharoplasty with skin excision. *Archives of Otolaryngology-Head and Neck Surgery*, 118, 959-962.
- McGraw, B. L. & Adamson, P. A. (1991). Postblepharoplasty ectropion. *Archives of Otolaryngology-Head and Neck Surgery*, 117, 852-856.
- Pastorek, Norman J. (1994). Blepharoplasty, *SIPAC*, AAO-HNS.
- Patipa, M., Patel, B. C. K., McLeish, W., & Anderson, R. L. (1996). Use of hard grafts for treatment of postsurgical lower eyelid retraction: A technical overview. *The Journal of Cranio-Maxillofacial Trauma*, 2(3), 18-28.
- Alster, T. (1999). Cutaneous resurfacing with CO₂ and erbium:YAG lasers: preoperative, intraoperative and postoperative considerations. *Plast Reconstr Surg*, 103(2):619-632.
- Alster, T. S. (1998). Increased smooth muscle actin, factor XIIIa, and vimentin-positive cells in the papillary dermis of carbon dioxide laser debrided porcine skin. *Dermatology Surgery*, 24, 155.
- Alster, T. S. (1999). Cutaneous resurfacing with CO₂ and Erbium:YAG lasers: Preoperative, intraoperative, and postoperative considerations. *Plastic and Reconstructive Surgery*, 103, 619-632.
- Alster, T.S. & Lupton, J.R. (2000). Treatment of complications of laser skin resurfacing. *Arch Fac Plast Surg*, 2:279-284.
- Alster, T.S. & Lupton, J.R. (2000). Treatment of complications of laser skin resurfacing. *Arch Fac Plast Surg*, 2:279-284.
- Anderson, J. R., & Ries, W. R. (1986). Incisions and skeletal exposure. In *Rhinoplasty: Emphasizing the External Approach* (chapter 10, p. 56). Stratton, NY: Thieme Medical Publishers, Inc.
- Becker DG, Lai SS, Wise JB, Steiger JD. 2006. Analysis in Otoplasty. *Facial Plast Surg Clin N Am* 14:63-71.
- Becker, F. F., Johnson, C. M., Jr., & Smith, O. (1992). Surgical treatment of the upper third of the aging face. In I. D. Papel & N. E. Nachlas (Eds.), *Facial Plastic and Reconstructive Surgery*, (pp. 147-157). St. Louis: Mosby Year Book.
- Bernstein, R.M., et al. (1998). Standardizing the classification and description of follicular unit transplantation and mini-micrografting techniques. *Dermatol Surg*, 24:957-963.
- Botta, S.A., Straith, R.E. & Goodwin, H.H. (1988). Cardiac arrhythmias in phenol face peeling: a suggested protocol for prevention. *Aesth Plast Surg*, 12:115-117.
- Caouette-Laberge L, Guay N, Bortoluzzi P, Belleville C. Otoplasty: anterior scoring technique and results in 500 cases. *Plast Reconstr Surg*. 2000 Feb;105(2):504-15.
- Chang, E.W., Lam, S.M., Karen, M. & Donlevy, J.L. (2001). Sliding genioplasty for correction of chin abnormalities. *Arch Fac Plast Surg*, 3(1):8-15.
- Chang, S., Pusic, A. & Rohrich, R.J. (2011). A systematic review of comparison of efficacy and complication rates among face-lift techniques. *Plast Reconstr Surg*, Jan:127(1):423-33.
- Citardi, M. J. & Friedman, C. D. (1994). Nonvascularized autogenous bone grafts for craniofacial skeletal augmentation and replacement. *Otolaryngology Clinics of North America*, 27(5), 891-910.
- Cohen JL, Biesman BS, Dayan SH, DeLorenzi C, Lambros VS, Nestor MS, Sadick N, Sykes J. Treatment of hyaluronic acid filler-induced impending necrosis with hyaluronidase: consensus recommendations. *Aesthet Surg J*. 2015 May 10. pii: sjv018.
- Constantian, M. B. (1994). The incompetent external nasal valve: Pathophysiology and treatment in primary and secondary rhinoplasty. *Plastic and Reconstructive Surgery*, 93(5), 919-933.
- Daniel, R.K. & Letourneau, A. (1988). Rhinoplasty: Nasal Anatomy. *Ann Plast Surg*, 20(1):5-13.
- Dierickx, C., Goldman, M. P., & Fitzpatrick, R. E. (1993). Laser treatment of erythematous/hypertrophic and pigmented scars in 26 patients. *Plastic and Reconstructive Surgery*, 95(1), 84-92.
- Doxanas, M.T. & Anderson, R.L. (1984). Oriental eyelids: an anatomic study. *Arch Ophthalmol*, 102(8):1232-1235.

- Duffy, M. J., & Friedland, J. A. (1994). The superficial-plane rhytidectomy revisited. *Plast Reconstr Surg*, 93 (7):1392-1403.
- Duke, D. & Joop, G.M. (1998). Care before and after laser skin resurfacing. *Dermatol Surg*, 24:201-206.
- Ehlert, T. K., Thomas, J. R., & Becker, F. F., Jr. (1990). Submental W-plasty for the correction of 'turkey gobbler' deformities. *Archives of Otolaryngology-Head and Neck Surgery*, 116, 714-717.
- Elsahy NI (1990). Techniques for correction of lop ear. *Plast Reconstr Surg*, 85(4):615-620.
- Fitzpatrick, R.E., Goldman, M.P. & Dierickx, C. (1994). Laser ablation of facial cosmetic tattoos. *Aesth Plast Surg*, 18:91-98.
- Foda, H.M. (2001). Alar setback technique: a controlled method of nasal tip deprojection. *Arch Otolaryngol/Head Neck Surg*, 127(11):1341-1346.
- Fritsch, M. H. (1995). Incisionless otoplasty. *Laryngoscope*, 105, 1-11.
- Giese, S.Y., McKinney, P., Roth, S.I. & Zukowski, M. (1997). The effect of chemosurgical peels and dermabrasion on dermal elastic tissue. *Plast Reconstr Surg*, 100 (2):489-498.
- Glogau, R.G. & Matarasso, S.L. (1995). Chemical face peeling: patient and peeling agent selection. *Arch Fac Plast Surg*, 11:1:1-8
- Goldman, M.P., Fitzpatrick, R.E., & Ruiz-Esparza, J. (1993). Treatment of port-wine stains (capillary malformation) with the flashlamp-pumped pulsed dye laser. *Journal of Pediatrics* 122(1), 71-77.
- Grabb, W. C. (1968). *Plastic Surgery*, 515. Boston, MA: Little, Brown & Company.
- Guerrerosantos, J., Trabanino, C. & Guerrerosantos, F. (2006). Multifragmented cartilage wrapped with fascia in augmentation rhinoplasty. *Plast Reconstr Surg*, 117(3):804-812; discussion 813-816.
- Gunter, J.P. & Friedman, R.M. (1997). Lateral crural strut graft: technique and clinical applications in rhinoplasty. *Plast Reconstr Surg*, 99(4):943-952; discussion 953-955.
- Gunter, J.P. & Friedman, R.M. (1997). Lateral crural strut graft: technique and clinical applications in rhinoplasty. *Plast Reconstr Surg*, 99(4):943-952; discussion 953-955.
- Gunter, J.P., Rohrich, R.J. & Friedman, R.M. (1996). Classification and correction of alar-columellar discrepancies in rhinoplasty *Plast Reconstr Surg*, 97(3):643-648.
- Hamilton GS. Dorsal failures: from saddle deformity to pollybeak. *Facial Plast Surg*. 2018; 34:261–269; and Kontis TC. The art of camouflage: when can a revision rhinoplasty be nonsurgical? *Facial Plast Surg*. 2018; 34:270–277.
- Hamra, S. T. (1990). The deep-plane rhytidectomy. *Plastic and Reconstructive Surgery*.
- Hamra, S. T. (1992). Composite rhytidectomy. *Plastic and Reconstructive Surgery*, 90(1), 1-13.
- Hoeflin, S.M. (1998). Superficial liposculpture of the face and neck. *Plast Reconstr Surg*, 101(3):872.
- Holmkvist, K.A., and Rogers, G.S. (2000). Treatment of perioral rhytides: a comparison of dermabrasion and superpulsed carbon dioxide laser. *Arch Dermatol*, 136:725-731.
- Horn, E. & Nesbit, S.A.(2004). Pharmacology and pharmacokinetics of sedatives and analgesics. *Gastrointestinal Endosc Clinics of North America* 14(2) 247-268.
- Kamer, F. M. (1987). Surgery of the nasal tip. *Facial Plastic Surgery*, 4(4), 249-262. Stratton, NY: Thieme Medical Publishers, Inc.
- Kamer, F.M. & Minoli, J.J. (1993). Postoperative platysmal band deformity. A pitfall of submental liposuction. *Arch Otolaryngol-Head Neck Surg*, 119(2):193-196.
- Kligman, D. & Kligman, A.M. (1998). Salicylic acid peels for the treatment of photoaging. *Dermatol Surg*, 24:325-328.
- Knize, D. M. (1998). Limited incision submental lipectomy and platysmaplasty. *Plast Reconstr Surg*, 101(2): 473-481

- Knize, D.M. (1998). Limited incision submental lipectomy and platysmaplasty. *Plast Reconstr Surg*, 101:473-481.
- Kontis TC, Bunin L, Fitzgerald R. Injectable Fillers: Panel Discussion, Controversies, and Techniques. *Facial Plast Surg Clin North Am*. 2018 May;26(2):225-236. doi: 10.1016/j.fsc.2017.12.008. PMID: 29636152.
- King M. This month's guideline: Management of Necrosis. *J Clin Aesthet Dermatol*. 2018;11(7):E53-E57.
- Kridel, R. W. & Konior, R. J. (1991). Controlled nasal tip rotation via the lateral crural overlay technique. *Archives of Otolaryngology-Head and Neck Surgery*, 117, 411-415.
- Kridel, R. W. H., & Konior, R. J. (1992). Suction lipectomy. In I. D. Papel & N. E. Nachlas (Eds.), *Facial Plastic and Reconstructive Surgery* (pp. 184-192), St. Louis: Mosby Year Book.
- Larrabee Wf. Facial Analysis for Rhinoplasty. *Otolaryngology Clinic North Am*. 1987, 20: 658-674.
- Lawson, W., & Naidu, R. K. (1993). The male facelift. *Archives of Otolaryngology-Head and Neck Surgery*. 119:535-539, discussion; 540-541
- Loh SH, Lew BL, Sim WY. Localized telogen effluvium following hair transplantation. *Ann Dermatol* 2018 Apr;30(2):214-217.
- Loyo M, Wang TD. Management of the deviated nasal dorsum. *Facial Plast Surg*. 2015 Jun;31(3):216-27.
- Mahaffey, P. J., & Wallace, A. F. (1986). Blindness following cosmetic blepharoplasty--a review. *British Journal of Plastic Surgery*, 39, 213-221.
- Matarasso, S., Carruthers, J.D. & Jewell, M.L. (2006). Consensus recommendations for soft tissue augmentation with nonanimal stabilized hyaluronic acid (Restylane). *Plast Reconstr Surg*, 117(3):15-25.
- McGraw, B. L., & Adamson, P. A. (1991). Postblepharoplasty ectropion. *Archives of Otolaryngology-Head and Neck Surgery*, 117, 852-856.
- Menaker, G.M. (2004). Wound dressings for office-based surgery. *Facial Plast Surg*, 20(1):91-105. Review.
- Molenaar, A. (1988). The depression nasofrontal angle in aesthetic rhinoplasty. *Plastic and Reconstructive Surgery*, 82, 698-706.
- Naficy, S. & Baker, S.R. (1998). Lengthening the short nose. *Arch Otolaryngol-Head Neck Surg*, 24(7):809-813.
- Naficy, S. & Baker, S.R. (1998). Lengthening the short nose. *Arch Otolaryngol-Head Neck Surg*, 24(7):809-813.
- Osguthorpe, J. D., & Calcaterra, T. C. (1979). Nasolacrimal obstruction after maxillary sinus and rhinoplastic surgery. *Archives of Otolaryngology*, 105, 264-266.
- Owsley, J. Q. (2000). Facelifting problems, solutions, and an outcome study. *Plastic and Reconstructive Surgery*, 105:302-313.
- Papel, I. D. (1992). Lower eyelid blepharoplasty for the senile lid. In I. D. Papel & N. E. Nachlas (Eds.) *Facial Plastic and Reconstructive Surgery*, (pp. 179-183). St. Louis: Mosby Year Book.
- Park, S, Woo, SE, Park K, Huh, J, Jung, C, and Kwon, O. Iatrogenic Retinal Artery Occlusion Caused by Cosmetic. *American Journal of Ophthalmology*; Vol 154, No 4:653-662.
- Pastorek, N. (1995). Upper lid blepharoplasty. *Facial Plastic Surgery Clinics of North America*, 3(2), 143-157.
- Pawar SS, Garcia GJM, Rhee JS. Objective measures in aesthetic and functional nasal surgery—perspectives on nasal form and function. *Facial Plast Surg*. 2010;26(4):320-327.
- Rassman, W.R., Bernstein, R.M., McClellan, R., Jones, R., Worton., E., & Uyttendaele, H. (2002). Follicular unit extraction: minimally invasive surgery for hair transplantation. 28: 720 – 728.
- Rees, T. D. (1980). Aesthetic surgery the neck and face. In T. D. Rees (Ed.), *Aesthetic Plastic Surgery*. Philadelphia, PA: W. B. Saunders Company.
- Richard C. Webster, William H. Beeson, E Gaylon McCollough, Facelift. in Book *Aesthetic Surgery of the Face*, ed William H. Beeson, E Gaylon McCollough, CV Mosby Company 1986. page 88

- RM Adrian, L Griffin "Laser tattoo removal", *Clinics in Plastic Surgery*, April 2000; 27(2) 181-192
- GA Moreno-Arias, M Casals-Andrew, A Camps-Fresned "Use of Q switched alexandrite laser for removal of traumatic tattoos of different origins: *Laser Surg Med* 1999; 25(5): pp 445-50.
- M Kapeman-Beade, VJ Levine, R Ashinoff "Laser Removal of Tattoos", *American Journal of Clinical Dermatology* 2001; 2: pp21-25
- Rohrich, R. J., Gunter, J. P., & Friedman, R. M. (1993). Nasal tip blood supply: An anatomic study validating the safety of the transcolumellar incision in rhinoplasty. *Plastic and Reconstructive Surgery*, 95(5), 795-801.
- Rohrich, R., Gyimesi, I., Clark, P. & Burns, A.J. (1997). CO₂ laser safety considerations in facial skin resurfacing. *Plast Reconstr Surg*, 100(5):1285-1290.
- Rossiter, J.L. (1994). Dermabrasion: clinical uses in otolaryngology. *J Otolaryngol*, 23(5)347-353.
- Rubach, B. W., Schoenrock, L. D. (1997). Histological and clinical evaluation of facial resurfacing using a carbon dioxide laser with the computer pattern generator. *Archives of Otolaryngology Head Neck Surgery* 123, 929-934.
- Schwartz, R. J., Burns, A. J., Rohrich, R. J., Barton, F. E., Byrd, H. S. (1999). Long-term assessment of CO₂ facial laser resurfacing: aesthetic results and complications. *Plastic and Reconstructive Surgery* 103(2), 592-601.
- Millman, A. L., Mannor, G. E. (1999). Combined erbium:YAG and carbon dioxide laser skin resurfacing. *Archives Facial Plastic Surgery* 1, 112-117.
- Rostan, E. F., Fitzpatrick, R. E., Goldman, M. P. (2001). Laser resurfacing with a long pulse erbium:YAG laser compared to the 950 ms pulsed CO₂ laser. *Lasers in Surgery and Medicine* 29, 136-141.
- Schuster, R. H., Gamble, W. B., Hamra, S. T. & Manson, P. N. (1995). A comparison of flap vascular anatomy in three rhytidectomy techniques. *Plastic and Reconstructive Surgery*, 95(4), 683-690.
- Sessions, D. G. (1973). Nasal hemorrhage. *Otolaryngologic Clinics of North America*, 6(3), 727-744.
- Sheen, J.H. (1993). Tip graft: a 20-year retrospective. *Plast Reconstr Surg*. 91(1): 48-63.
- Shields, M. & Putterman, A. (2003). Blepharoptosis correction. *Curr Opin Otolaryngol Head Neck Surg*, 11(4):261-266
- Shippert R. *The dynamics of fat breakdown and the role of progressive diameter cannula technique and suction assisted lipectomy*. *Am J Cosmet Surg* 1984; 1(1):1 5-18.
- Simons, R. L. (1975). Adjunctive measures in rhinoplasty. *Otolaryngologic Clinics of North America*, 8(3), 717-742.
- Simons, R. L. (1992). Management of the lower third of the nose-vertical dome division. In I. D. Papel & N. E. Nachlas (Eds.), *Facial plastic and reconstructive surgery*, (pp. 314-319). St. Louis: Mosby Year Book.
- Smith, B. J. & Mangat, D. S. (1973). Otoplasty. In Paparella, M. & Shumrick, D. (Eds.), *Otolaryngology*, 4(7), (pp. 2717-2731). Philadelphia: Saunders
- Stal, S. Hamilton, S. & Spira, M. (1987). Surgical treatment of acne scars. *Clin Plast Surg*, 14(2):261-76.
- Stuzin, J. M., Baker, T. J., & Gordon, H. L. (1992). The relationship of the superficial and deep facial fascias: Relevance to rhytidectomy and aging. *Plastic and Reconstructive Surgery*, 89:441-449
- Stuzin, J. M., Wagstrom, L., Kawamoto, H. K., Baker, T. J., & Wolfe, S. A. (1990). The anatomy and clinical applications of the buccal fat pad. *Plastic and Reconstructive Surgery*, 85(1), 29-37.
- Thorne, C.H., Brecht, L.E., Bradley, J.P. (2001). Auricular Reconstruction: indications for autogenous and prosthetic techniques. *Plast Reconstr Surg*, 107(5);1241-1252.
- Thornton, W. R. (1994). Combined approach to eyelid surgery in Graves' disease. *Facial Plastic Surgery*, 10(2), 172-176.
- Toriumi, D. M. & Johnson, C. M. (1990). Open structure rhinoplasty for precise control of nasal tip projection. *Operative Techniques in Otolaryngology-Head and Neck Surgery*, 3, 166.
- Toriumi, D. M. & O'Grady, K. (1994). Surgical tissue adhesives in otolaryngology-head and neck surgery. *Otolaryngologic Clinics of North America*, 27(1), 203-209.
- Unger, M. G. (1994). Scalp reduction. *Facial Plastic Surgery Clinics of North America*, 2(2), 163-181.
- Wee JH, Park MH, Oh S, Jin HR. Complications associated with autologous rib cartilage use in rhinoplasty: a meta-analysis. *JAMA Facial Plast Surg* 2015;17:49-55

Weinberger, M. S., Becker, D. G., & Toriumi, D. M. (). Rhytidectomy. In Cummings, *Otolaryngology-Head and Neck Surgery*, 13, 648-659.

Weinberger, M. S., Becker, D. G., & Toriumi, D. M. (1998). Rhytidectomy. In Cummings, *Otolaryngology-Head and Neck Surgery*, 13, 648-659.

Whetzel, T.P. & Mathes, S.J. (1992). Arterial anatomy of the face: an analysis of vascular territories and perforating cutaneous vessels. *Plast Reconstr Surg*, 89(4):591-603; discussion 604-605.

Zide, B.M. (1981). Anatomy of the eyelids. *Clin Plast Surg*, 8(4):623-634.