

**EXAMINATION READING LIST**  
Selected References for 2019 Test Items

---

**I - Basic Sciences**

- Baker, S. R. (1999). Orbital fat preservation in lower-lid blepharoplasty *Archives of Facial Plastic Surgery*, 1(1), 33-37.
- Bennett, R. G. (1992). Anatomy and physiology of the skin. In I. D. Papel & N. E. Nachlas (Eds.), *Facial Plastic and Reconstructive Surgery*, (pp. 3-13). St. Louis: Mosby Year Book.
- Bernstein, L. (1990). Dental development and abnormalities. In G. B. Healey (Ed.), *Common Problems in Pediatric Otolaryngology*, 303-322. Chicago, IL: Year Book Medical Publishers.
- Breugem, C.C., van der Horst, C.M. & Hennekam, R.C. (2001). Progress toward understanding vascular malformations. *Plast Reconstr Surg*, 107(6):1509-1523.
- Callegari, P. R., Taylor, G. I., Caddy, C. M., & Minabe, T. (1992). An anatomic review of the delay phenomenon: I. Experimental studies. *Plastic and Reconstructive Surgery*, 89(3), 397-418.
- Carlson, K.C. & Roenigk, R.K. (1990). Know your anatomy: perineural involvement of basal and squamous cell carcinoma on the face. *J Dermatol Surg Oncol*, 16(9):827-833.
- Cheney, M. L. & Gliklich, R. E. (1995). The use of calvarial bone in nasal reconstruction. *Archives of Otolaryngology-Head and Neck Surgery*, 121, 643-648.
- Cupp, C. L., & Larrabee, W. F. Jr. (1993). Reconstruction of the lips. *Operative Techniques in Otolaryngology-Head and Neck Surgery*, 4(1), 46-53.
- De Jong, R. H. (1977). *Physiology and Pharmacology of Local Anesthesia*. Springfield, IL: Charles C. Thomas.
- Gay, G. R. (1982). Clinical management of acute and chronic cocaine poisoning. *Annals of Emergency Medicine*, 11, 562-572.
- Difazio, C. A. (1981). Local anesthetics—action metabolism and toxicity. *Otolaryngologic Clinics of North America*, 14, 515.
- Dutton, Jonathan J. (1992). Surgical anatomy of the eyelids. *Atlas of Ophthalmic Surgery: Oculoplastic, Lacrimal, and Orbital Surgery*, 2(2), 4-21. Mosby Year Book, St. Louis, MO.
- Ellis, D.A. & Gage, C.E. (1991). Evaluation of conscious sedation in facial plastic surgery. *J Otolaryngol*, 20 (4):267-273.
- English, J. L. *Otolaryngology*, 4(40), 4-5.
- Fisher E & Frodel JL. Wound Healing in Facial Plastic and Reconstructive Surgery. Second Edition, Edited by Ira Papel. Thieme
- Frodel, J. L. (1992). Wound healing. In Papel, I. D., et al. (eds), *Facial Plastic and Reconstruction Surgery*. St. Louis: Mosby. p. 14-21.
- Frodel, J. L., & Marentette, L. J. (1993). The coronal approach: Anatomic and technical considerations and morbidity. *Archives of Otolaryngology-Head and Neck Surgery*, 119, 201-207.
- Frodel, J. L., Jr. (1992). Wound healing. In I. D. Papel & N. E. Nachlas (Eds.), *Facial Plastic and Reconstructive Surgery*, 14-21. St. Louis: Mosby Year Book.
- Gampper, T.J. & Morgan, R.F. (2002). Vascular anomalies: hemangiomas. *Plast Reconstr Surg*, 110:572-585.
- Giguere, C.M., Bauman, N.M., Sato, U., Burke, D.K., Greinwald, J.H., Pransky, S., Kelley, P., Georgeson, K. & Smith, R.J.H. (2002). Treatment of lymphangiomas with OK-432 (Picibanil) sclerotherapy. *Arch Otolaryngol-Head Neck Surg*, 128: 1137-1144.
- Gilbert W. Levett, MC. Cervical Fascia and Deep Neck Infections. *Laryngoscope*, 409-435

- Guyuron B. (1992). Problem neck, hyoid bone, and submental myotomy. *Plast Reconstr Surg*, 90(5):830-837; discussion 838-840.
- Haack, J. & Friedman, O. (2006). Facial liposculpture. *Fac Plast Surg*, 22(2):147-153. Review
- Hamra, S. T. (1990). The deep-plane rhytidectomy. *Plastic and Reconstructive Surgery*.
- Hewell, T. S., & Tardy, M. E. (1984). Nasal tip refinement. *Facial Plastic Surgery*, 1, 87.
- Hoffman WY. Reanimation of the paralyzed face. *Otolaryngol Clin North Am*. 1992 Jun;25(3):649-67.
- Huang, T. C., Blanks, R. H. I., & Crumley, R. L. (1992). Laser-assisted nerve repair: Laser-trimming of nerve ends with epineurial suture anastomosis. *Archives of Otolaryngology-Head Neck Surgery*, 118, 277-280.
- Jeong, S., Lemke, B.N., Dortzbach, R.K., Park, Y.G. & Kang, H.K. (1999). The Asian upper eyelid: an anatomical study with comparison to the Caucasian eyelid. *Arch Ophthalmol*, 17(7):907-912.
- Kamer, F.M. & Pieper, P.G. (2001). Surgical treatment of the aging neck. *Fac Plast Surg*, 17(2):123-8.
- Lai, A. & Cheney, M. (2000). Temporoparietal fascial flap in orbital reconstruction. *Arch Fac Plast Surg*, 2:196-201.
- Levitt, G. W. (1970). Cervical fascia and deep neck infections. *Laryngoscope*, 80(3);409-435.
- Levitt, Major G.W. (1969). Cervical fascia and deep neck infections. *Laryngoscope*, 409-435.
- Ness, J.A. & Sykes, J.M. (1993). Basics of Millard rotation: Advancement Technique for Repair of the Unilateral Cleft Lip Deformity. *Fac Plast Surg*. 9:167.
- Oliver, D. W. (2001). A prospective randomized double blind trial of the use of fibrin sealant for facelifts. *Plastic and Reconstructive Surgery*, 108:2101-2105.
- Ortiz-Monsasterio, F. & Molina, F. (1990). Geometrical planning for the correction of orbital hypertelorism. *Plast Reconstr Surg*, 86:650-657.
- Panchal J, Uttchin V Management of craniosynostosis
- Schuster, R. H., Gamble, W. B., Hamra, S. T. & Manson, P. N. (1995). A comparison of flap vascular anatomy in three rhytidectomy techniques. *Plastic and Reconstructive Surgery*, 95(4), 683-690.
- Senders, C.W., eterson, E.C., Hendricks, A.G. & Cukierski, M.A. (2003). Development of the upper lip. *Arch Fac Plast Surg*, 5(1):16-25.
- Siegert, R., Weerda, H. & Remmert, S. (1994). Embryology and surgical anatomy of the auricle. *Facial Plastic Surgery*. 10(3), 232-243.
- Sykes, J. M. & Dugan, F. M., Jr. (1994). Evaluation and management of eyelid trauma. *Facial Plastic Surgery*, 10(2), (pp. 157-171). NY: Thieme.
- Tardy, M. E. & Toriumi, D. M. (1992). Philosophy and principles of rhinoplasty. In I. D. Papel & N. E. Nachlas (Eds.), *Facial plastic and reconstructive surgery*, (pp. 278-294). St. Louis: Mosby Year Book.
- Warren, D. W., Hinton, V. A., Pillsbury, H. C., III, & Hairfield, W. M. (1987). Effects of size of the nasal airway on nasal airflow rate. *Archives of Otolaryngology-Head and Neck Surgery*, 113, 405-408.
- Zide, B.M. & Jelks, G.W. (1984). Surgical anatomy of the orbit. *Plast Reconstr Surg*, 74(2):301-305.
- Zide, B.M. & Jelks, G.W. (1984). Surgical anatomy of the orbit. *Plast Reconstr Surg*, 74(2);301-305.

## **IIA - Congenital**

- De La Pedraja J, Erbella J, McDonald WS, Thaller S. Approaches to cleft lip and palate repair. *J Craniofac Surg*, 11(6):562-571.
- Elsaby, NI. (2000). Technique for correction of lop ear. *Plast Reconstr Surg*, 105(2)
- Handler, S. D. (1985). Upper airway obstruction in craniofacial anomalies: Diagnosis and management. *Birth Defects*, 21(2), 15-31.

- Hereditary hemorrhagic telangiectasis treated by the harmonic scalpel Toshio Ishibashi, MD, Shunsuke Takamatsu, MD, HEAD & NECK April 2003
- Randall, P. (1977). The Robin anomalad: Micrognathia and glossoptosis with airway obstruction. In J. M. Converse (Ed.), *Reconstructive and Plastic Surgery*, 50, 2235-2245. Philadelphia, PA: W. B. Saunders Company.
- Smith, B. J. & Mangat, D. S. (1973). Otoplasty. In Paparella, M. & Shumrick, D. (Eds.), *Otolaryngology*, 4(7), (pp. 2717-2731). Philadelphia: Saunders
- Smith, J. D., Crumley, R. L., & Harker, L. A. (1981). Facial paralysis in the newborn. *Otolaryngology—Head and Neck Surgery*, 89, 1021-1024.
- Vuillemin, T., Imola, M., Ladrach, K., Zingg, M., & Raveh, J. (1995). Aesthetic orthognathic surgery. *Facial Plastic Surgery Clinics of North America*, 3(1), 79-96.
- Wang, T. D. & Madorsky, S. J. (1999). Secondary rhinoplasty in nasal deformity associated with the unilateral cleft lip. *Archives of Facial Plastic Surgery*, 1(1), 40-45.

## IIB - Acquired

- Adamson, P. A. & Constantinides, M. S. (1995). Complications of blepharoplasty. *Facial Plastic Surgery Clinics of North America*, 3(1), 211-221.
- Bailey, B. J. (1977). Management of carcinoma of the lip. *Laryngoscope*, 87, 250-260.
- Balatsouras, D.G., Eliopoulos, P.N. & Kaberos, A.C. (2004). Lingual abscess: diagnosis and treatment. *Head Neck*, 26(6):550-4.
- Bernstein, L. (1972). Mid-third facial fractures. *Plastic and Reconstructive Surgery of the Face and Neck*, 2, 39. Grune & Stratton.
- Brightman V.S. (1984). Benign tumors of the oral cavilt. In M.A. Lynch et al. (eds), *Burket's Oral Medicine* (8 Edition). Philadelphia: J.B. Lippincott. p. 316.
- Chattar-Cora, D., Tulsyan, N., Cudjoe, E.A., Onime, G.D., Pyo, D.J. & Weinstein, L. (2002). Necrotizing fasciitis of the head and neck: a report of two patients and review. *Head Neck*, 24(5):497-501.
- Converse, J. M., et al. (1977). *Reconstructive Plastic Surgery*, 2, 970. Philadelphia, PA: W. B. Saunders Company.
- Funk, G. F., Hoffman, H. T., & Carter, K. D. (1993). Special considerations in the management of malignant skin lesions about the eye. *Otolaryngologic Clinics of North America*, 26(2), 215-230.
- Gunter, J. P. (1983). Rhombic flaps. *Facial Plastic Surgery*, 1, 69-73.
- James, W. D., White, S. W., & Yanklowitz, B. (1984). Allergic contact dermatitis to compound tincture of benzoin. *Journal of the American Academy of Dermatology*, 11, 847-850.
- Jose, J., Coatesworth, A.p. & MacLennan, K. (2003). Cervical Metastes In Upper Aerodigestive Tract Squamous Cell Carcinoma: Histopathologic Analysis And Reporting. *Head Neck*, 25(3):194-7.
- Kamer, F.M. & Minoli, J.J. (1993). Postoperative platysmal band deformity. A pitfall of submental liposuction. *Arch Otolaryngol-Head Neck Surg*, 119(2):193-196.
- Karesh, J. W. (1994). Diagnosis and management of acquired blepharoptosis and dermatochalasis. *Facial Plastic Surgery*. (pp. 185-201). NY: Thieme.
- Keller, G. S. (1993). KTP laser rhytidectomy. *Facial Plastic Surgery Clinics of North America*, 1(2), 153-162.
- Matarasso SL, Carruthers JD, Jewell M, Restylane Consensus Group. (2006). Consensus recommendations for soft-tissue augmentation with nonanimal stabilized hyaluronic acid (Restylane). *Plastic and Reconstructive Surgery*, 117 (3 suppl), 3S-34S.
- May, M. & Schaitkin, M. (2000). *The Facial Nerve*. 2nd Edition, Stratton, NY: Thieme Medical Publishers, Inc.
- McCarthy, J.G., Borud, L.J. & Schreiber, J.S. (2002). Hemangiomas of the nasal tip. *Plast Reconstr Surg*, 109:31-40.

- Medina, J. (1993). Malignant melanoma of the head and neck. *Otolaryngology Clinics of North America*, 26(1), 73-85.
- (1998). NCCN (National Comprehensive Cancer Network) Melanoma practice guidelines. *Oncology*, 3, 153-177.
- (1997). Melanoma Surgical Practice Guidelines. Society of Surgical Oncology Practice Guidelines for Major Cancer Sites. Compiled from *Oncology* 11, (6-9), 91-97.
- Millay, D. J. (1995). Repair of blepharoptosis. *Facial Plastic Surgery Clinics of North America*, 3(2), 195-201.
- Murakami, C. S., & Larrabee, W. F. (1992). Comparison of osteotomy techniques in the treatment of nasal fractures. *Facial Plastic Surgery*, 8(4), 209-219.
- Papel, I. D. (1992). Lower eyelid blepharoplasty for the senile lid. In I. D. Papel & N. E. Nachlas (Eds.) *Facial Plastic and Reconstructive Surgery*, (pp. 179-183). St. Louis: Mosby Year Book.
- Powell, N., & Humphreys, B. (1984). *Proportions of the Aesthetic Face* (p. 24). Stratton, NY: Thieme Medical Publishers, Inc.
- Richard C. Webster, William H. Beeson, E Gaylon McCollough, Facelift. in Book Aesthetic Surgery of the Face, ed William H. Beeson, E Gaylon McCollough, CV Mosby Company 1986. page 87
- Smith, B. (1986). *Ophthalmic Plastic and Reconstructive Surgery* (p. 717). St. Louis, MO: C. V. Mosby Company.
- Stough, D. B., III & Stough, D. B., IV. (1994). Hair-replacement techniques. In I. D. Papel & N. E. Nachlas (Eds.), *Facial Plastic and Reconstructive Surgery*, (pp. 215-225). St. Louis: Mosby Year Book.
- Stough, D. B., Randall, J. K., & Schauder, C. S. (1994). Complications in hair replacement surgery. *Facial Plastic Surgery Clinics of North America*, 2(2), 219-229.
- Swanson, N. A., Grekin, R. C., & Baker, S. R. (1983). Moh's surgery: Techniques, indications, and applications in head and neck surgery. *Head and Neck Surgery*, 6, 683-692.
- Waler, R. R., McCord, C. D., Jr., & Tanenbaum, M. (1987). Evaluation and management of the ptosis patient. In C. D. McCord & M. Tanenbaum (Ed.), *Oculoplastic Surgery* (chapter 13, PP. 325-375). New York: Raven Press.
- Wesley, R. E., & Collins, J. W. (1983). McCord procedure for ectropion repair. *Archives of Otolaryngology*, 109, 319-322.
- Whiting; Haber; Epstein – Advanced hair loss; Bonhanna
- Wolfe, D. & Davidson, T.M. (1991). Scar revision. *Arch Otolaryngol Head Neck Surg*, 117(2):200-204.

### IIIA - Medical Management

- Baker, J. D., & Blackmon, B. B. (1985). Local anesthesia. *Clinics of Plastic Surgery*, 12, 25.
- Berthold, Rzany, DeLorenzi Claudio. 2015. "Understanding, Avoiding, and Managing Severe Filler Complications." *Plastic and Reconstructive Surgery* 136 (5 Suppl): 196S-203S.
- DeLorenzi C. Complications of injectable fillers, part 2: vascular complications. *Aesthet Surg J*. 2014 May 1;34(4):584-600.
- Cheney ML and Tessa Hadlock. *Facial Surgery: Plastic and Reconstructive*. 2E (2015) Chapter 34, Scar Revision, Faris C and Vuyk H.
- Coker NJ. Management of traumatic injuries to the facial nerve. *Otolaryngol Clin North Am*. 1991 Feb;24(1):215-27.
- Ellerbe, D. M. & Frodel, J. L. (1995). Comparison of implant materials used in maxillofacial rigid internal fixation. *Otolaryngology Clinics of North America*, 28(2), 365-372.
- Gamper, T.J. & Morgan, R.F. (2002). Vascular anomalies: hemangiomas. *Plast Reconstr Surg*, 110:572-585.
- Giacomo C, Ierardi AM. (2017) Understanding venous malformations of the head and neck: a comprehensive insight. *Medical Oncology*, 34(3):42, pp 1-25.
- Hackl et al. The incidence of combined facial and cervical spine injuries. *J Trauma*. 2001;50:41-45
- Hammond, J. S. & Ward, C. G. (1983). Burns of the head and neck. *Otolaryngologic Clinics of North America*, 16(3), 679-695.

- Hollier L, Thornton J, Pazmino P, Stal S. The Management of Orbitozygomatic Fractures. *Plastic and Reconstructive Surgery*, 111:2386, 2003
- Horn, E. & Nesbit, S.A. (2004). Pharmacology and pharmacokinetics of sedatives and analgesics. *Gastrointestinal Endosc Clinics of North America* 14(2) 247-268.
- House, J.W. & Brackmann, D.E. (1985). Facial nerve grading system. *Arch Otolaryngol Head Neck Surg*, 93:146-147.
- Iverson, R.E. (1999) Sedation and analgesia in ambulatory settings. American Society of Plastic and Recon. Surgeons. Task Force on Sedation and Analgesia in Ambulatory Settings. *PRS*, 104(5):1559-1564
- Koenig, W.J., et al. (1993). The physician cost of treating maxillofacial trauma. *Plast Reconstr Surg*, 91(5):778-782.
- Lam, S.M. & Williams, E.F. (2004). Practical considerations in the treatment of capillary vascular malformations, or port-wine stains. *Fac Plast Surg*, 20(1):71-6.
- Lieding, K. G. & Graham, M. D. (1981). Malignant hyperthermia. *Archives of Otolaryngology-Head and Neck Surgery*, 107, 758-760.
- Marenda SA, Olsson JE. The evaluation of facial paralysis. *Otolaryngol Clin North Am*. 1997 Oct;30(5):669-82.
- Metry, D.W. & Hebert, A.A. (2000). Benign cutaneous vascular tumors of infancy. *Arch Derm*, 136:905-914.
- Niessen, F. B., Spauwen, P. H., Schalkwijk, J., & Kon, M. (1999). On the Nature of Hypertrophic Scars and Keloids: A Review. *Plastic and Reconstructive Surgery*, 105(5), 1435-1458.
- Perkins, S. W. & Gibson, F. B. (1995). Medium-depth peels. *Facial Plastic Surgery*, 11(1), 22-29.
- Pitman, K.T., Johnson, J.T., Brown, M.L. & Myers, E.N. (2002). Sentinel lymph node biopsy in head and neck squamous cell carcinoma. *Laryngoscope*, 112(12):2101-13
- Simons JP, Hunt JL. Johnson FT, Pathology Quiz Case. Granular cell Tumore of the Tongue with extensive overlying Pseudoepitheliomatous Hyperplasia. *Archives of Oto* 2003, 129 (1): 127-128.
- Stewart, W. D., Danto, J. L., & Maddin, S. (1970). *Synopsis of Dermatology*, 2nd Edition. Mosby Company, St. Louis.
- Stucker, F. J., Shaw, G. Y., Boyd, S., & Shockley, W. W. (1990). Management of animal and human bites in the head and neck. *Archives of Otolaryngology-Head and Neck Surgery*, 116, 789-793.
- Kountakis, S. E., Chamblee, S. A., Maillard, & A. A., J., Stiernberg, C. M. (1998). Animal bites to the head and neck. *ENT-Ear, Nose & Throat Journal*, 77(3), 216-220.
- Sykes, J. M. & Donald, P. J. (1992). Frontal sinus and nasofrontoethmoidal complex fractures. In I. D. Papel & N. E. Nachlas (Eds.), *Facial Plastic and Reconstructive Surgery*, (pp. 485-495). St. Louis: Mosby Year Book.
- Tung TC, Tseng WS, Chen CT et al. Acute life-threatening injuries in facial fracture patients: a review of 1,025 patients. *J Trauma* 2002, 49(3):420-24.
- Zide, B.M. (1981). Anatomy of the eyelids. *Clin Plast Surg*, 8(4):623-634.

## IIIB - Reconstructive Surgery

- (1977). *Reconstructive Plastic Surgery*, 1, 434. Philadelphia, PA: W. B. Saunders and Company.
- Goldman, & Fitzpatrick (). Cutaneous laser surgery, (pp.), St. Louis: Mosby Year Book
- Lash, G. (Ed.), (1995). Clinics in dermatology.
- Amy Lai, MD, Mack L Cheney, MD. Temporoparietal Fascial Flap in Orbital Reconstruction
- Antonyshyn, O., Gruss, J. S., & Birt, B. D. (1988). Versatility of temporal muscle in fascial flaps. *British Journal of Plastic Surgery*, 41, 118-131.
- Arcuri, M. & LaVelle, W. E. (1994). Prosthetics in nasal reconstruction. *Facial Plastic Surgery*, 10(4), 382-388.
- Baker, S. R. (1991). Fundamentals of expanded tissue. *Head and Neck Surgery*, July/August 1991, pp. 327-333.
- Baker, S. R. & Krause, C. J. (1983). Pedicle flaps in reconstruction of the lip. *Facial Plastic Surgery*, 1(1), 61-68.
- Stratton, NY: Thieme-Stratton, Inc.

- Baker, S.R., Swanson, N.A. & Grekin, R.C. (1987). An interdisciplinary approach to the management of basal cell carcinoma of the head and neck. *J Dermatol Surg Oncol*, 13(10):1095-1106.
- Bartlett, S.P, Whitaker, L.A & Marchac, D. (1990). The operative treatment of isolated craniofacial dysostosis: plagiocephaly, a comparison of the unilateral and bilateral techniques. *Plast Reconstr Surg*, 85:677-685.
- Beaty MM, Dyer WK, Shawl MW. The quantification of surgical changes in nasal tip support. *ArchFacialPlastSurg* 4:82-91. (2002)
- Binns, H. (1984). Early treatment of facial injuries. In R. H. Mathog (Ed.), *Maxillofacial Trauma*, 103. Baltimore: Williams & Wilkins
- Braun RP., et al. Dermoscopy of Pigmented Seborrheic Keratosis: A Morphological Study. *Archives of Derm* 2002, 138 (12):1556-60.
- Brent, B. & Ott, R. (1978). Perichondro-cutaneous graft. *Plastic and Reconstructive Surgery*, 62, 1-13.
- Bruce, R. & Fonseca, R. J. (1991). Mandibular fractures. In R. J. Fonseca & R. V. Walker (Eds.) *Oral and Maxillofacial Trauma*, 92ff. Philadelphia: W. B. Saunders
- Burget, G. C. (1985). Aesthetic restoration of the nose (Symposium on Head and Neck Surgery). *Clinics in Plastic Surgery*, 12(3), 463-480.
- Becker, F. F. & Hillstrom, R. P. (1992). Reconstruction of the nose and midface. In I. D. Papel & N. E. Nachlas (Eds.), *Facial Plastic and Reconstructive Surgery*, (pp. 407-417). St. Louis: Mosby Year Book.
- Cheney ML and Tessa Hadlock. *Facial Surgery: Plastic and Reconstructive*. 2E (2015)  
Chapter 41, Skin Resurfacing, Brightman LA, Reddy KK, Clark CD, Tan OT
- Cheney, M. L. & Gliklich, R. E. (1995). The use of calvarial bone in nasal reconstruction. *Archives of Otolaryngology-Head and Neck Surgery*, 121(6): 643-648.
- Cohen, S.R., Dauser, R.C., Newman, M.H. & Muraszko, K. (1993). Technical strategies: surgical techniques of cranial vault expansion for increases in intracranial pressure in older children. *J Craniofac Surg*, 4:167-173.
- Coker NJ. Management of traumatic injuries to the facial nerve. *Otolaryngol Clin North Am*. 1991 Feb;24(1):215-27.
- Coleman, S.C., Burkey, B.B., Day, T.A., et al. (2000). Increasing use of the scapula osteocutaneous free flap. *Laryngoscope*, 110(9):1419-1424.
- Constantinian M.B. (1994). The incompetent nasal valve: pathophysiology and treatment in primary and secondary rhinoplasty. *Plast Reconstr Surg*, 93:919-931
- Cook, T. A. (1984). Use of local skin flaps for scar camouflage. *Facial Plastic Surgery*, 1(3), 226-239.
- Cook, T. A., & Davis, R. E. (1993). Cheek reconstruction. *Operative Techniques in Otolaryngology—Head and Neck Surgery*, 4(1), 31-36.
- Cook, T.A, et al. (1991). Cervical rotation flaps for midface resurfacing. *Arch Otolaryngol-Head Neck Surg*, 117:77-82.
- Cupp, C. L., & Larrabee, W. F. Jr. (1993). Reconstruction of the lips. *Operative Techniques in Otolaryngology-Head and Neck Surgery*, 4(1), 46-53.
- Davis, R. E., Guida, R. A. & Cook, T. A. (1995). Autologous free dermal fat graft. *Archives of Otolaryngology-Head and Neck Surgery*, 121, 95-100.
- Dieter Hoffmann, "Rehabilitation of the Eye in Facial Paralysis, pp257-265, *Facial Plastic Clinics of North America*, Volume 5, August 1997.
- Disa, J.J., Cordeiro, P.G. & Hidalgo, D.A. (1999). Efficacy of conventional monitoring techniques in free tissue transfer: an 11-year experience in 750 consecutive cases. *Plast Reconstr Surg*, 104(1):97-101.
- Evans, G.R., Schusterman, M.A., Kroll, S.S., et al. (1994). The radial forearm free flap for head and neck reconstruction: a review. *Am J Surg*, 168(5):446-450.
- Furnas, D.W. (1968). Correction of prominent ears by concha-mastoid sutures. *Plast Reconstr Surg*, 42(3):189-193.

- Gampper, T.J. & Morgan, R.F. (2002). Vascular anomalies: hemangiomas. *Plast Reconstr Surg*, 110:572-585.
- Giguere, C.M., Bauman, N.M., Sato, U., Burke, D.K., Greinwald, J.H., Pransky, S., Kelley, P., Georgeson, K. & Smith, R.J.H. (2002). Treatment of lymphangiomas with OK-432 (Picibanil) sclerotherapy. *Arch Otolaryngol-Head Neck Surg*, 128: 1137-1144.
- Giguere, C.M., Bauman, N.M., Sato, U., Burke, D.K., Greinwald, J.H., Pransky, S., Kelley, P., Georgeson, K. & Smith, R.J.H. (2002). Treatment of lymphangiomas with OK-432 (Picibanil) sclerotherapy. *Arch Otolaryngol-Head Neck Surg*, 128: 1137-1144.
- Gilbert, R. W. & Dorion, D. (1993). Management of the failed mandibular reconstruction plate. *Operative Techniques in Otolaryngology-Head and Neck Surgery*, 4(2), 159-163.
- Glasgold AI, Glasgold MJ. Intraoperative custom contouring of the mandible. *Arch Otolaryngol-Head Neck Surg*, 120(2):180-184.
- Goldsmith, M. M. (1992). Nasal septal perforations. In I. D. Papel & N. E. Nachlas (Eds.), *Facial Plastic and Reconstructive Surgery*, (pp. 344-349). St. Louis: Mosby Year Book.
- Goodman, A. (1992). Soft tissue injuries to the face. In I. D. Papel & N. E. Nachlas (Eds.), *Facial Plastic and Reconstructive Surgery*, (pp. 449-459). St. Louis: Mosby Year Book.
- Greinwald, J.H., Burke, D.K., Bonthius, D.J., Bauman, N.M. & Smith, R.J. (1999). An update on the treatment of hemangiomas in children with interferon Alpha-2a. *Arch Otolaryngol-Head Neck Surg*, 125:21-27.
- Grin, C. M. et al, (1990) Accuracy in the clinical diagnosis of malignant melanoma. *Archives of Dermatology*, 126, 763-766.
- May, Mark (1983) Trauma to the facial nerve. *Otolaryngology Clinics of North America*, 16, 661-670.
- McLeod, G. R., and Black, R. J. (1991). Malignant melanoma: Cutaneous and mucosal. In *Paparella, M. M., and Shumrick, D. A. (eds.): Otolaryngology*, 3, Philadelphia, W. B. Saunders Company, 2617-2625
- Mohs, F. E. (1978). Chemosurgery: Microscopically controlled surgery for skin cancer-past, present and future. *Journal of Dermatological Surgery in Oncology*, 4, 41-54.
- Gunter, J. P. (1978). Camouflaging scars in the head and neck area. *Journal of Otolaryngology*, 7(1), 75-87.
- Hudson, DA: Choosing a Z-plasty
- llankovan, V. & Jackson, I.T. (1992). Experience in the use of calvarial bone grafts in orbital reconstruction. *Br J Oral Maxillofac Surg*, 30:92-96.
- Jackson, I. T. (1985). Cheek reconstruction. In *Local Flaps in Head and Neck Reconstruction* (chapter 5, pp. 189-249). St. Louis, MO: C. V. Mosby Company.
- Kaplan, B. & Moy, R.L. (1995). Flaps and grafts for facial reconstruction. *Dermatol Surg*, 21(5):431-440.
- Klotch, D. W., & Lundy, L. B. (1991). Condylar neck fractures of the mandible. *Otolaryngologic Clinics of North America*, 24(1), 181-194.
- Markowitz, B.L., Manson, P.N., Yaremchuk, M., Glassman, D. & Kawamoto, H. (1991). High energy orbital dislocations: the possibility of traumatic hypertelorism. *Plast Reconstr Surg*, 88:20-28.
- Matsunaga, R. S., Simpson, W., & Toffel, P. H. (1977). Simplified protocol for treatment of malar fractures. *Archives of Otolaryngology*, 103, 535-538.
- May, M & Drucker, C. (1993). Temporalis muscle for facial reanimation. A 13-year experience with 224 procedures. *Arch Otolaryngol-Head Neck Surg*, 119(4):378-382; discussion, 383-384.
- McConnel, F.M., Pauloski, B.R., Logemann, J.A., et al. (1998). Functional results of primary closure vs. flaps in oropharyngeal reconstruction. *Arch Otolaryngol-Head Neck Surg*, 124:625-630.
- McGuirt, W. F., Welling, D. B., & McCabe B. F. (1989). Facial nerve function following irradiated cable grafts. *Laryngoscope*, 99, 27-34.
- Myckatyn, T.M. & Mackinnon, S.E. (2003). The surgical management of facial nerve injury. *Clin Plast Surg*, 30(2):307-18. Review
- OBAGI The Art of Skin Health Restoration and Rejuvenation, 2E (2015), Skin Resurfacing Procedures chapter 11

- Oliaei S et al. Laser Treatment of Scars. *Facial Plast Surg* 2012;28:518-524.
- Panje, William R., and Minor, Lloyd B. (1995). Reconstruction of the Scalp. In Baker (Eds), *Local Flaps in Facial Reconstruction*, 22, 481-514.
- Petruzzelli, G. J. & Johnson, J. T. (1994). Skin grafts. *Otolaryngologic Clinics of North America*, 27(1), 25-37.
- Powell, N. B. & Riley, R. W. (1987). Cranial bone grafting in facial aesthetic and reconstructive contouring. *Archives of Otolaryngology-Head and Neck Surgery*, 113(7), 713-719.
- Richardson, D., Fisher, S.E., Vaughan, E.D. & Brown, J.S. (1997). Radial forearm flap donor site complications. *Plast Reconstr Surg*, 99(1), 109-115.
- Rohrich, R.J., Rios, J.L., Smith, P.D. & Gutowski, K.A. (2006). Neck Rejuvenation revisited. *Plast Reconstr Surg*, 118 (5):1251-1263. Review
- Sadove AM, et al: Modifications in the Surgical Correction of Trigoncephaly. *Plastic and Reconstructive Surgery*, 85 (6):853-85
- Schlosser, R. J. & Park S. S. (1999). Surgery for the dysfunctional nasal valve: Cadaveric analysis and clinical outcomes. *Archives of Facial Plastic Surgery*, 1(1), 105-110.
- Spector, J. G. (1985). Mimetic surgery for the paralyzed face. *Laryngoscope*, 95(12), 1494-1522.
- Stucker, F. J., Shaw, G. Y., Boyd, S., & Shockley, W. W. (1990). Management of animal and human bites in the head and neck. *Archives of Otolaryngology-Head and Neck Surgery*, 116, 789-793.
- Kountakis, S. E., Chamblee, S. A., Maillard, & A. A., J., Stiernberg, C. M. (1998). Animal bites to the head and neck. *ENT-Ear, Nose & Throat Journal*, 77(3), 216-220.
- Sykes, J. M. & Donald, P. J. (1992). Frontal sinus and nasofrontoethmoidal complex fractures. In I. D. Papel & N. E. Nachlas (Eds.), *Facial Plastic and Reconstructive Surgery*, (pp. 485-495). St. Louis: Mosby Year Book.
- Sykes, J.M (2002). Diagnosis and treatment of Cleft Lip and Palate Deformities. In Papel (ED). *Fac Plast Reconstr Surg*. 813-829.
- Sykes, J.M. (2002). Diagnosis and Treatment of Cleft lip and palate deformities. In Papel I (ed): *Facial Plastic and Reconstructive Surgery*. pp. 813-829.
- Thomas, J. R., & Ehlert, T. K. (1992). Scar revision. In I. D. Papel & N. E. Nachlas (Eds.), *Facial Plastic and Reconstructive Surgery*, (pp. 45-52). St. Louis: Mosby Year Book.
- Thomas, J. R., Griner, N., & Cook, T. A. (1988). The precise midline forehead flap as a musculocutaneous flap. *Arch Otolaryngol Head and Neck Surg*, 114(1), 79-84.
- Baker, S. R., Johnson, T. M., & Nelson, B. R. (1994). Technical aspects of prolonged scalp expansion. *Arch Otolaryngol Head and Neck Surg*, 120(4), 431-436.
- Toriumi, D.M., Josen, J., Weinberger, M. & Tardy, Jr., M.E. (1997). Use of alar batten grafts for correction of nasal valve collapse. *Arch Otolaryngol-Head Neck Surg*, 123(8):802-808.
- Volk, G.F., Pantel M. & Guntinas-Lichius O. (2010). Modern concepts in facial nerve reconstruction. *Head Face Med*, 6:25.
- Vuyk HD Augmentation mentoplasty with solid silicone.
- Vuyk, H.D. & Lohuis, P.J. (2001). Mohs micrographic surgery for facial skin cancer. *Clin Otolaryngol*, 26(4):265-273.
- Whetzel, T.P. & Saunders, C.J. (1997). Arterial anatomy of the oral cavity: an analysis of vascular territories. *Plast Reconstr Surg*, 100(3):582-587; discussion 588-590.
- Wolfe, D. & Davidson, T.M. (1991). Scar revision. *Arch Otolaryngol Head Neck Surg*, 117(2):200-204.
- Zitelli JA, The Bilobed Flap for Nasal Reconstruction. *Archives of Dermatology* 1989 125 (7): 957-9.

### **III C - Cosmetic Surgery**

Adamson PA, Cormier R, Tropper GJ, McGraw BL, Cervical Facial Liposuction: Results and Controversies



- Adamson, P. A. & Constantinides, M. S. (1995). Complications of blepharoplasty. *Facial Plastic Surgery Clinics of North America*, 3(1), 211-221.
- Becker, B. B. & Berry, F. D. (1992). Eyelid level after lower lid blepharoplasty with skin excision. *Archives of Otolaryngology-Head and Neck Surgery*, 118, 959-962.
- McGraw, B. L. & Adamson, P. A. (1991). Postblepharoplasty ectropion. *Archives of Otolaryngology-Head and Neck Surgery*, 117, 852-856.
- Pastorek, Norman J. (1994). Blepharoplasty, *SIPAC*, AAO-HNS.
- Patipa, M., Patel, B. C. K., McLeish, W., & Anderson, R. L. (1996). Use of hard grafts for treatment of postsurgical lower eyelid retraction: A technical overview. *The Journal of Cranio-Maxillofacial Trauma*, 2(3), 18-28.
- Adamson, P.A., Cormier, R., Tropper, G.J., & McGraw, B.L. (1990). Cervicofacial liposuction: results and controversies. *J Otolaryngol*, 19(4);267-273.
- Alster, T. (1999). Cutaneous resurfacing with CO<sub>2</sub> and erbium:YAG lasers: preoperative, intraoperative and postoperative considerations. *Plast Reconstr Surg*, 103(2):619-632.
- Alster, T. S. (1999). Cutaneous resurfacing with CO<sub>2</sub> and Erbium:YAG lasers: Preoperative, intraoperative, and postoperative considerations. *Plastic and Reconstructive Surgery*, 103, 619-632.
- Alster, T.S. & Lupton, J.R. (2000). Treatment of complications of laser skin resurfacing. *Arch Fac Plast Surg*, 2:279-284.
- Alster, T.S. & Lupton, J.R. (2000). Treatment of complications of laser skin resurfacing. *Arch Fac Plast Surg*, 2:279-284.
- Azuara E (2000) Aesthetic Otoplasty with Remodeling of the antihelix for the correction of the prominent ear: criteria and personal technique. *Arch Fac Plast Surg*, 2(1):57-61.
- Baker, S. R. (1999). Orbital fat preservation in lower-lid blepharoplasty. *Archives of Facial Plastic Surgery*, 1, 33-37.
- Beaty MM, Dyer WK, Shawl MW. The quantification of surgical changes in nasal tip support. *ArchFacialPlastSurg* 4:82-91. (2002)
- Becker DG, Lai SS, Wise JB, Steiger JD. 2006. Analysis in Otoplasty. *Facial Plast Surg Clin N Am* 14:63-71.
- Becker, F. F., Johnson, C. M., Jr., & Smith, O. (1992). Surgical treatment of the upper third of the aging face. In I. D. Papel & N. E. Nachlas (Eds.), *Facial Plastic and Reconstructive Surgery*, (pp. 147-157). St. Louis: Mosby Year Book.
- Beeson, W. H., & McCollough, E. G. (1986). *Aesthetic Surgery of the Aging Face*, p. 157. St. Louis, MO: C. V. Mosby Company.
- Bernstein, R.M., et al. (1998). Standardizing the classification and description of follicular unit transplantation and mini-micrografting techniques. *Dermatol Surg*, 24:957-963.
- Berthold, Rzany, DeLorenzi Claudio. 2015. "Understanding, Avoiding, and Managing Severe Filler Complications." *Plastic and Reconstructive Surgery* 136 (5 Suppl): 196S-203S.
- DeLorenzi C. Complications of injectable fillers, part 2: vascular complications. *Aesthet Surg J*. 2014 May 1;34(4):584-600.
- Botta, S.A., Straith, R.E. & Goodwin, H.H. (1988). Cardiac arrhythmias in phenol face peeling: a suggested protocol for prevention. *Aesth Plast Surg*, 12:115-117.
- Byrne, P.J. & Hilger, P.A. (2004). Lip augmentation. *Arch Fac Plast Surg*, 20(1):31-8.
- Calderon, W., Andrades, P. R., Israel, G., Cabello, R., & Leniz, P. (2004). SMAS graft of the nasolabial area during deep plane rhytidectomy. *Plast Reconstr Surg*, 114(2):559-564.
- Daniel, R. K. & Calvert, J.W. (2004). Diced cartilage grafts in rhinoplasty surgery. *Plast Reconstr Surg*, 113(7):2156-2171.
- Daniel, R.K. & Letourneau, A. (1988). Rhinoplasty: Nasal Anatomy. *Ann Plast Surg*, 20(1):5-13.

- Doxanas, M.T. & Anderson, R.L. (1984). Oriental eyelids: an anatomic study. *Arch Ophthalmol*, 102(8):1232-1235.
- Duffy, M. J., & Friedland, J. A. (1994). The superficial-plane rhytidectomy revisited. *Plast Reconstr Surg*, 93(7):1392-1403.
- Duke, D. & Joop, G.M. (1998). Care before and after laser skin resurfacing. *Dermatol Surg*, 24:201-206.
- Edwards, R.C., Kiely, K.D. & Eppley, B.L. (2000). Resorbable fixation techniques for genioplasty. *J Oral Maxillofac Surg*, 58(3):269-272.
- Ehlert, T. K., Thomas, J. R., & Becker, F. F., Jr. (1990). Submental W-plasty for the correction of 'turkey gobbler' deformities. *Archives of Otolaryngology-Head and Neck Surgery*, 116, 714-717.
- Ellis DAF & Gage CE. Evaluation of conscious sedation in facial plastic surgery. *Journal of Otolaryngology*. 1991: 20(4): 267-273.
- Gay George R. Clinical Management of Acute and Chronic Cocaine Poisoning. *Annals of Emergency Medicine*. 1982: 11:562-572.
- Elsahy NI (1990). Techniques for correction of lop ear. *Plast Reconstr Surg*, 85(4):615-620.
- Eppley, B. L., & Sadove, A. M. (1994). Aesthetic facial applications of HTR<sup>R</sup> polymer grafts. Experimental and clinical results. *International Journal of Aesthetic and Restorative Surgery*, 2(2), 111-118.
- Fritsch, M. H. (1995). Incisionless otoplasty. *Laryngoscope*, 105, 1-11.
- Glogau, R.G. & Matarasso, S.L. (1995). Chemical face peeling: patient and peeling agent selection. *Arch Fac Plast Surg*, 11:1:1-8
- Goldman, M.P., Fitzpatrick, R.E., & Ruiz-Esparza, J. (1993). Treatment of port-wine stains (capillary malformation) with the flashlamp-pumped pulsed dye laser. *Journal of Pediatrics* 122(1), 71-77.
- Grabb, W. C. (1968). *Plastic Surgery*, 515. Boston, MA: Little, Brown & Company.
- Gunter, J.P. & Friedman, R.M. (1997). Lateral crural strut graft: technique and clinical applications in rhinoplasty. *Plast Reconstr Surg*, 99(4):943-952; discussion 953-955.
- Gunter, J.P. & Friedman, R.M. (1997). Lateral crural strut graft: technique and clinical applications in rhinoplasty. *Plast Reconstr Surg*, 99(4):943-952; discussion 953-955.
- Hamra, S. T. (1990). The deep-plane rhytidectomy. *Plastic and Reconstructive Surgery*.
- Harris, J.A. (2004) Follicular Unit transplantation: dissecting and planting techniques. *Facial Plast Surg Clin N Am*, 12: 225 - 232.
- Hetter, Gregory P. (2000). An Examination of the Phenol-Croton Oil Peel: Part IV. Face Peel Results with Different Concentrations of Phenol and Croton Oil . *Plastic and Reconstructive Surgery*, 105 (3), 1061-1083.
- Holmkvist, K.A., and Rogers, G.S. (2000). Treatment of perioral rhytides: a comparison of dermabrasion and superpulsed carbon dioxide laser. *Arch Dermatol*, 136:725-731.
- Horn, E. & Nesbit, S.A.(2004). Pharmacology and pharmacokinetics of sedatives and analgesics. *Gastrointestinal Endosc Clinics of North America* 14(2) 247-268.
- Johnson, CM, Godin, MS. The tension nose: Open structure rhinoplasty approach. *PRS* 95(1): 43-51.
- Jost, G. & Levet, Y. (1984). Parotid fascia and face lifting: A critical evaluation of the SMAS concept. *Plastic and Reconstructive Surgery*, 74(1), 42-51.
- Kamer, F. M. (1987). Surgery of the nasal tip. *Facial Plastic Surgery*, 4(4), 249-262. Stratton, NY: Thieme Medical Publishers, Inc.
- Kamer, F.M. & Minoli, J.J. (1993). Postoperative platysmal band deformity. A pitfall of submental liposuction. *Arch Otolaryngol-Head Neck Surg*, 119(2):193-196.
- Kerth, T.A. & Toriumi, D.M. (1990). Management of the aging forehead. *Arch Otolaryngol-Head Neck Surg*, 116:1137-1142.
- Kridel, R. W. & Konior, R. J. (1991). Controlled nasal tip rotation via the lateral crural overlay technique. *Archives of Otolaryngology-Head and Neck Surgery*, 117, 411-415.

- Kridel, R. W. H., & Konior, R. J. (1992). Suction lipectomy. In I. D. Papel & N. E. Nachlas (Eds.), *Facial Plastic and Reconstructive Surgery* (pp. 184-192), St. Louis: Mosby Year Book.
- Lai, A. & Cheney, M. (2000). Temporoparietal fascial flap in orbital reconstruction. *Arch Fac Plast Surg*, 2:196-201.
- Lam, S.M. & Williams, E.F. (2004). Practical considerations in the treatment of capillary vascular malformations, or port-wine stains. *Fac Plast Surg*, 20(1):71-6.
- Lawson, W., & Naidu, R. K. (1993). The male facelift. *Archives of Otolaryngology-Head and Neck Surgery*. 119:535-539, discussion; 540-541
- Liebman, E. P., Webster, R. C., Berger, A. S., & DellaVecchia, M. (1982). Frontalis nerve in the temporal brow lift. *Archives of Otolaryngology-Head and Neck Surgery*, 108, 232-235.
- Mahaffey, P. J., & Wallace, A. F. (1986). Blindness following cosmetic blepharoplasty--a review. *British Journal of Plastic Surgery*, 39, 213-221.
- Matarasso, S., Carruthers, J.D. & Jewell, M.L. (2006). Consensus recommendations for soft tissue augmentation with nonanimal stabilized hyaluronic acid (Restylane). *Plast Reconstr Surg*, 117(3):15-25.
- McGraw, B. L., & Adamson, P. A. (1991). Postblepharoplasty ectropion. *Archives of Otolaryngology-Head and Neck Surgery*, 117, 852-856.
- Menaker, G.M. (2004). Wound dressings for office-based surgery. *Facial Plast Surg*, 20(1):91-105. Review.
- Millay, D. J. & Larrabee, W. F., Jr. (1992). Eyelid reconstruction. In I. D. Papel & N. E. Nachlas (Eds.), *Facial Plastic and Reconstructive Surgery*, (pp. 399-406). St. Louis: Mosby Year Book.
- Millman, A. L., Mannor, G. E. (1999). Combined erbium:YAG and carbon dioxide laser skin resurfacing. *Archives Facial Plastic Surgery* 1, 112-117.
- Molenaar, A. (1988). The depression nasofrontal angle in aesthetic rhinoplasty. *Plastic and Reconstructive Surgery*, 82, 698-706.
- Monheit, G.D. (1989). The Jessner's and TCA peel: a medium depth chemical peel. *J Derm Surg Oncol*, 15:945-950.
- Naficy, S. & Baker, S.R. (1998). Lengthening the short nose. *Arch Otolaryngol-Head Neck Surg*, 24(7):809-813.
- Naficy, S. & Baker, S.R. (1998). Lengthening the short nose. *Arch Otolaryngol-Head Neck Surg*, 24(7):809-813.
- Norwood, O. T., Shiell, R. C., & Morrison, I. D. (1983). Complications of scalp reductions. *J. Dermatol. Surg. Oncol.*, 9(10), 828-834.
- Pawar SS, Garcia GJM, Rhee JS. Objective measures in aesthetic and functional nasal surgery—perspectives on nasal form and function. *Facial Plast Surg*. 2010;26(4):320-327.
- Perkins, S.W. & Gibson, F.B. (1993). Use of submentoplasty to enhance cervical recontouring in face-lift surgery. *Arch Otolaryngol-Head Neck Surg*, 119(2):179-183.
- Rees, T. D. (1980). *Aesthetic surgery the neck and face*. In T. D. Rees (Ed.), *Aesthetic Plastic Surgery*. Philadelphia, PA: W. B. Saunders Company.
- Richard C. Webster, William H. Beeson, E Gaylon McCollough, Facelift. in *Book Aesthetic Surgery of the Face*, ed William H. Beeson, E Gaylon McCollough, CV Mosby Company 1986. page 88
- Rohrich, R., Gyimesi, I., Clark, P. & Burns, A.J. (1997). CO<sub>2</sub> laser safety considerations in facial skin resurfacing. *Plast Reconstr Surg*, 100(5):1285-1290.
- Rubach, B. W., Schoenrock, L. D. (1997). Histological and clinical evaluation of facial resurfacing using a carbon dioxide laser with the computer pattern generator. *Archives of Otolaryngology Head Neck Surgery* 123, 929-934.
- Schwartz, R. J., Burns, A. J., Rohrich, R. J., Barton, F. E., Byrd, H. S. (1999). Long-term assessment of CO<sub>2</sub> facial laser resurfacing: aesthetic results and complications. *Plastic and Reconstructive Surgery* 103(2), 592-601.
- Millman, A. L., Mannor, G. E. (1999). Combined erbium:YAG and carbon dioxide laser skin resurfacing. *Archives Facial Plastic Surgery* 1, 112-117.
- Rostan, E. F., Fitzpatrick, R. E., Goldman, M. P. (2001). Laser resurfacing with a long pulse erbium:YAG laser compared to the 950 ms pulsed CO<sub>2</sub> laser. *Lasers in Surgery and Medicine* 29, 136-141.

- Schuster, R. H., Gamble, W. B., Hamra, S. T. & Manson, P. N. (1995). A comparison of flap vascular anatomy in three rhytidectomy techniques. *Plastic and Reconstructive Surgery*, 95(4), 683-690.
- Sessions, D. G. (1973). Nasal hemorrhage. *Otolaryngologic Clinics of North America*, 6(3), 727-744.
- Sheen, J.H. (1993). Tip graft: a 20-year retrospective. *Plast Reconstr Surg*. 91(1): 48-63.
- Shields, M. & Putterman, A. (2003). Blepharoptosis correction. *Curr Opin Otolaryngol Head Neck Surg*, 11(4):261-266
- Shippert R. *The dynamics of fat breakdown and the role of progressive diameter cannula technique and suction assisted lipectomy*. *Am J Cosmet Surg* 1984; 1(1):1 5-18.
- Simons, R. L. (1975). Adjunctive measures in rhinoplasty. *Otolaryngologic Clinics of North America*, 8(3), 717-742.
- Simons, R. L. (1992). Management of the lower third of the nose-vertical dome division. In I. D. Papel & N. E. Nachlas (Eds.), *Facial plastic and reconstructive surgery*, (pp. 314-319). St. Louis: Mosby Year Book.
- Smith, B. J. & Mangat, D. S. (1973). Otoplasty. In Paparella, M. & Shumrick, D. (Eds.), *Otolaryngology*, 4(7), (pp. 2717-2731). Philadelphia: Saunders
- Smith, T. E. (1982). Surgical anatomy of the face. *Otolaryngologic Clinics of North America*, 15, 3-18.
- Stal, S. Hamilton, S. & Spira, M. (1987). Surgical treatment of acne scars. *Clin Plast Surg*, 14(2):261-76.
- Stucker, F. J. (1987). Non-caucasian rhinoplasty and adjunctive reduction cheiloplasty [Rhinoplasty]. *Otolaryngologic Clinics of North America*, 20(4), 877-894.
- Stucker, F.J. (1987). Non-caucasian rhinoplasty and adjunctive reduction cheiloplasty [Rhinoplasty]. *Otolaryngologic Clinics of North America*, 20(4), 877-894.
- Stuzin, J. M., Baker, T. J., & Gordon, H. L. (1992). The relationship of the superficial and deep facial fascias: Relevance to rhytidectomy and aging. *Plastic and Reconstructive Surgery*, 89:441-449
- Stuzin, J. M., Wagstrom, L., Kawamoto, H. K., Baker, T. J., & Wolfe, S. A. (1990). The anatomy and clinical applications of the buccal fat pad. *Plastic and Reconstructive Surgery*, 85(1), 29-37.
- Sullivan, M. J. & Krause, C. J. (1987). Surgery of the bony and cartilaginous dorsum. *Otolaryngologic Clinics of North America*, 20(4), 825-835.
- Thomas, J.R. & Prendiville, S. (2002). Update in scar revision. *Fac Plast Surg Clin N Am*, 10(1):103-11.
- Thorne, C.H., Brecht, L.E., Bradley, J.P. (2001). Auricular Reconstruction: indications for autogenous and prosthetic techniques. *Plast Reconstr Surg*, 107(5);1241-1252.
- Unger, M. G. (1994). Scalp reduction. *Facial Plastic Surgery Clinics of North America*, 2(2), 163-181.
- Waltzman JT, Zins JE, Couto RA. Face and neck lifting after weight loss. *Clin Plast Surg*. 2019;46(1):105-114.
- Webster, R. C., Davidson, T. M., & Smith, R. C. (1978). Browplasty as an adjunct to rhinoplasty. *Head and Neck Surgery*, 1, 112-122.
- Weinberger, M. S., Becker, D. G., & Toriumi, D. M. (). Rhytidectomy. In Cummings, *Otolaryngology-Head and Neck Surgery*, 13, 648-659.
- Weinberger, M. S., Becker, D. G., & Toriumi, D. M. (1998). Rhytidectomy. In Cummings, *Otolaryngology-Head and Neck Surgery*, 13, 648-659.
- Whetzel, T.P. & Mathes, S.J. (1997). The arterial supply of the face lift flap. *Plast Reconstr Surg*, 100 (2):480-486; discussion 487-488.